

BOOK
No.188

MEN'S SWEATERS

AMERICA

at Work and Play

Take your place in
CIVILIAN DEFENSE
CONSUMER DEFENSE COUNCIL



STANDBY No. 392 . . . See page 22

PRICE 10 CENTS

CHADWICK'S
RED HEART



WOOLS

Sweaters for the Man of Today...

TO WORK IN, TO PLAY IN

Today, sweaters answer practically every need in a man's busy, "double-duty" life—and now, when it's so important for him to be fit, these snug, well-made sweaters help keep him warm, guard his health, and give him that assurance of being well-dressed at all times.

Handsome pullovers, cardigans and vests which that special man of yours would like to own . . . and they're all so e-a-s-y for you to make! Chadwick shows you how right here, with detailed, easy-to-follow instructions in several sizes—(why, in our wonderful father-and-son series we give you instructions for sweater-making in a range of 8 different sizes!)

So get a good supply now of Chadwick's Red Heart yarns in just the good, warm colors you want and start your needles clicking busily on some wonderful, new sweaters for the MAN OF TODAY.

General Information

GAUGE . . . For perfect results your number of stitches and rows to the inch should correspond with that in the directions. Before starting your article, make a small sample of the stitch. If your working tension is too tight or too loose, use a finer or coarser needle to obtain the correct gauge.

BLOCKING DIRECTIONS . . . With rust-proof pins, pin article carefully to correct size. Press through a damp cloth, allowing steam to penetrate. Remove cloth and allow article to remain pinned until dry.

LAUNDERING . . . Before laundering, measure garment carefully and record all important measure-

ments. Launder garment, in mild soap or soap flakes dissolved in lukewarm water, by squeezing suds through garment; never rub or wring. Rinse several times in clear water of the same temperature, always keeping garment well supported in hands. Lay garment out carefully on Turkish towels, following recorded measurements; do not stretch any ribbing. Allow to dry thoroughly. Press, where necessary, through a damp cloth.

WHEN PURCHASING YARN . . . Be sure to buy sufficient yarn of the *same dye lot* to complete the garment you wish to make. It is impossible to avoid slight variation in color in different dye lots.

ABBREVIATIONS FOR CROCHET AND KNITTING

Ch.....Chain	Sl st.....Slip Stitch	O.....Thread or Yarn Over
Sc.....Single Crochet	Bl.....Block	Tog.....Together
H dc.....Half Double Crochet	Sp.....Space	Rnd.....Round
Dc.....Double Crochet	P.....Picot	Incl.....Inclusive
Tr.....Treble	St(s).....Stitch(es)	Inc.....Increase
D tr.....Double Treble	K.....Knit	Dec.....Decrease
Tr tr.....Triple Treble	P.....Purl	P.s.s.o.....Pass Sl St Over K st

* (asterisk)—Repeat the instructions following the asterisk as many more times as specified, in addition to the original.

Repeat instructions in parentheses as many times as specified. *For example:* "(K 1, O, p 3) 4 times" means to make all that is in parentheses 4 times in all. Also "Ch 5, sc in next sc) 5 times" means to make all that is in parentheses 5 times in all.

Blue Print for America

No. 354 . . . The handiest sweater in any man's wardrobe . . . fine gauge knit, noted for its warmth and shape-holding qualities.

DIRECTIONS ON PAGE 9



MATERIALS: CHADWICK'S RED HEART SHETLAND FLOSS (*1 oz. balls*).


SIZE 36—14 oz. SIZE 38—15 oz. SIZE 40—16 oz. SIZE 42—17 oz.

CLARK'S O.N.T. KNITTING PINS, 1 pair No. 3.

7 buttons.

At Ease

No. 391 . . . One of the smartest sport sweaters of the year in a springy, cable-link pattern with rib sleeves.



MATERIALS:

CHADWICK'S RED HEART SWEATER WOOL (1 oz. balls).

SIZES 38 and 40—16 balls. SIZES 42 and 44—18 balls.

CLARK'S O.N.T. KNITTING PINS, 1 pair No. 3 and 1 pair No. 5.

MEASUREMENTS FOR BLOCKING:

Sizes	38	40	42	44
Chest:	38"	40"	42"	44"
Length from top of shoulder:	25½"	25½"	26½"	26½"
Side seam:	16"	16"	16½"	16½"
Length of sleeve, underarm seam:	23"	23"	23"	23"
Width of sleeve at upperarm:	15½"	16"	16½"	17"

GAUGE: (RIB PATTERN) 5 sts make 1 inch; 7 rows make 1 inch.

Sizes	38	40	42	44
FRONT . . . With No. 3 needles cast on	100 sts	104 sts	112 sts	116 sts
Work tightly in ribbing of k 2, p 2 for	3½"	3½"	4"	4"
Inc 12 sts evenly across next row. There are on needle	112 sts	116 sts	124 sts	128 sts
Change to No. 5 needles and work as follows: 1st row: On sizes 40 and 44 only, k 2. On all sizes, (p 2, k 4)	3	3	4	4
	times	times	times	times
p 2, k 8, (p 2, k 4) twice; (p 2, k 8)				

3 times; (p 2, k 4) twice; p 2, k 8, p 2, (k 4, p 2) 3 3 4 4
times times times times
On sizes 40 and 44 only, end row with k 2.

2nd row: On sizes 40 and 44 only, p 2. On all sizes, (k 2, p 4) 3 3 4 4
times times times times
k 2, p 8, (k 2, p 4) twice; (k 2, p 8) 3 times; (k 2, p 4) twice; k 2, p 8, k 2, (p 4, k 2) 3 3 4 4
times times times times
On sizes 40 and 44 only, end row with p 2.

3rd row: On sizes 40 and 44 only, k 2. On all sizes, (p 2, k 4) 3 3 4 4
times times times times
p 2, make a cable—to make a cable, slip next 4 sts onto a double-pointed needle and hold in back of work, k next 4 sts, k the 4 sts from double-pointed needle—(p 2, k 4) twice; p 2, k 8, p 2, cable, p 2, k 8, (p 2, k 4) twice; p 2, cable, p 2, (k 4, p 2) 3 3 4 4
times times times times
On sizes 40 and 44 only, end row with k 2. 4th, 5th and 6th rows: Same as 2nd, 1st and 2nd rows respectively. 7th row: Same as 3rd row. 8th, 9th and 10th rows: Same as 2nd, 1st and 2nd rows respectively. 11th row: On sizes 40 and 44 only, k 2. On all sizes, (p 2, k 4) 3 3 4 4
times times times times
p 2, k 8, (p 2, k 4) twice; p 2, cable, p 2, k 8, p 2, cable, (p 2, k 4) twice; p 2, k 8, p 2, (k 4, p 2) 3 3 4 4
times times times times
On sizes 40 and 44 only, end row with k 2.

12th, 13th and 14th rows: Same as 2nd, 1st and 2nd rows respectively. 15th row: Same as 11th row. 16th row: Same as 2nd row. Repeat these 16 rows until piece measures in all
16" 16" 16½" 16½"

To shape armholes: With right side facing work across
5 sts 6 sts 7 sts 7 sts
Place these sts on a safety pin to be used later for sleeve. Work across to within the last
5 sts 6 sts 7 sts 7 sts
Place these last sts on another safety pin. Work over remaining
102 sts 104 sts 110 sts 114 sts
until piece measures from 1st row of armhole shaping
5" 5" 5½" 5½"

Next row: With right side facing, work across 41 sts 42 sts 45 sts 47 sts
bind off next 20 sts for front of neck, work across remaining
41 sts 42 sts 45 sts 47 sts

Work over these last sts only decreasing 1 st at neck edge every other row until there remain
33 sts 33 sts 35 sts 36 sts

Work straight until piece measures from 1st row of armhole shaping
8½" 8½" 9" 9"

Continued on page 7

Champion No. 384

MATERIALS:

CHADWICK'S RED HEART SHETLAND FLOSS (1 oz. balls).

SIZE 38—13 balls. SIZE 40—14 balls. SIZES 42 and 44—15 balls.

CLARK'S O.N.T. KNITTING PINS, 1 pair No. 3 and 1 pair No. 4.

MEASUREMENTS FOR BLOCKING:

Sizes	38	40	42	44
Chest:	38"	40"	42"	44"
Across back or front at underarm:	19"	20"	21"	22"
Length from top of shoulder:	25"	25½"	26"	26½"
Side seam:	16"	16½"	16½"	17"
Sleeve seam:	22"	22"	23"	23"
Across sleeve at upperarm:	16"	16"	17"	17"

GAUGE: 8 sts make 1 inch; 10 rows make 1 inch.

PATTERN STITCH . . . 1st row: K 3, * sl 2 sts (as if to k), k 5. Repeat from * across, ending with k 3. **2nd row:** P across (working in front loop of all sts). Repeat these 2 rows for pattern.

Sizes	38	40	42	44
-------	----	----	----	----

BACK . . . With No. 3 needles, cast on
148 sts 156 sts 164 sts 172 sts

Work in ribbing of k 2, p 2 for
3½" 4" 4" 4½"

Change to No. 4 needles and k 1 row, increasing evenly across to

155 sts 162 sts 169 sts 176 sts

Work in Pattern Stitch for 12½ inches.

To shape armholes: On next row, with right side facing, work in Pattern Stitch across first

10 sts 12 sts 14 sts 15 sts

Place these sts on a safety pin. Work in pattern across to within the last

10 sts 12 sts 14 sts 15 sts

Place these last sts on another safety pin. Work over remaining

135 sts 138 sts 141 sts 146 sts
for 8½" 8½" 9" 9"

To shape shoulders, bind off 12 sts at beginning of next 6 rows. Bind off at beginning of next 2 rows

10 sts 11 sts 12 sts 14 sts

Bind off remaining sts for back of neck.

BACK NECKBAND . . . With No. 3 needles and right side facing, pick up 48 sts across back of neck. Work in ribbing of k 2, p 2 for 8 rows. Bind off loosely in ribbing.

FRONT . . . Work exactly as for Back until armhole sts have been taken off on safety pins. P 1 row. There are on needle
135 sts 138 sts 141 sts 146 sts

Next row: To start neck shaping, work across first

66 sts 67 sts 69 sts 71 sts
k 2 tog, turn and work back to side edge. Work over this 1st set of sts only, decreasing 1 st at neck edge every 2nd row 6 times; then dec 1 st at same edge every 4th row until there remain

46 sts 47 sts 48 sts 50 sts
Work straight until armhole measures same as Back armhole.

To shape shoulder, bind off 12 sts at

armhole edge every other row 3 times. Work 1 row. Bind off the remaining

10 sts 11 sts 12 sts 14 sts

Attach yarn at neck edge and work other side to correspond.

FRONT NECKBAND . . . With right side facing, using No. 3 needles, pick up 68 sts from left shoulder to center front, insert a marker on the needle and pick up 68 sts from center front to right shoulder. **1st row:** * P 2, k 2. Repeat from * across to marker, slip marker, then work k 2, p 2 alternately to end of row (there are 2 k sts at each side of marker). **2nd row:** K 2, p 2 alternately to 2 sts before the marker, then k 2 tog, slip the marker, sl 1, k 1, p.s.s.o., and work in ribbing to end of row. Repeat these 2 rows 3 more times. Bind off loosely in ribbing.

Continued on page 14



No. 384 . . . Handsome Shetland Floss pull-on for a hundred and one occasions—sport or Civilian Defense Duty.

Grandstander

No. 395 . . . Really distinguished scarf and glove set for Dad,
in a smart rib pattern for warmth without bulk . . . a grand gift.



GLOVES:

SMALL
MEDIUM
LARGE

MATERIALS:

CHADWICK'S RED HEART SHETLAND FLOSS (1 oz. balls).

4 balls for scarf and 2 balls for gloves.

CLARK'S O.N.T. KNITTING PINS No. 3 for scarf.

CLARK'S O.N.T. BONE SOCK NEEDLES No. 2 for gloves.

GAUGE: (Scarf) No. 3 needles—7 sts make 1 inch; 8 rows make 1 inch. (Gloves) No. 2 needles—15 sts make 2 inches; 10 rnds make 1 inch.

SCARF

With No. 3 needles cast on 68 sts and k 1 row; then work in pattern as follows: **1st row:** K 8, then p 4, k 4 alternately across ending with k 8. **2nd row:** K 4, p 4 alternately across, ending with k 4. **3rd row:** K 8, * yarn over, p 4, pass the yarn-over over the 4 p sts, k 4. Repeat from * across, ending with k 8. **4th and 5th rows:** Repeat the 2nd and 1st rows respectively. **6th row:** * K 4, yarn over, p 4, pass the yarn-over over the 4 p sts. Repeat from *

across ending with k 4. Repeat these 6 rows for pattern until piece measures 38 inches; then k 1 row and bind off.

Block scarf to measure 10 x 40 inches.

FRINGE . . . Cut 3 strands each 7½ inches long. Double these strands, forming a loop. With a crochet hook draw this loop through a st at one end of scarf; then draw the ends through the loop. Make 2 fringe at end of each stripe along both short ends of scarf. Trim fringe to measure 3 inches.

GLOVES

LEFT HAND . . . Using No. 2 needles cast on loosely 48 sts for Small size or 52 sts for Medium or Large sizes. Divide sts on 3 needles and join, being careful not to twist sts. Work around tightly in ribbing of k 2, p 2 for 2½ inches. K 1 rnd, decreasing 1 st for Medium size, or increasing 2 sts for Large size. Continue to work in stockinette st (k each rnd) for 6 more rnds. **Next rnd:** K around to last st, then p 1. Now start thumb shaping and ribbing for Pattern Stitch as follows:

Sizes	Small	Medium	Large
1st rnd: Knit	4 sts	5 sts	6 sts
(p 2, k 3) 3 times; p 2, knit	26 sts	28 sts	30 sts
then p, k and p in the last st.			
2nd and 3rd rnds: Knit	4 sts	5 sts	6 sts
(p 2, k 3) 3 times; p 2, knit	26 sts	28 sts	30 sts
p 1, k 1, p 1.			
4th rnd: Knit	4 sts	5 sts	6 sts
* p 2, yarn over, k 3, pass the yarn-over over the 3 k sts. Repeat from * 2 more times; p 2, knit	26 sts	28 sts	30 sts
p and k in the next st, k and p in following st, p last st.			
5th and 6th rnds: Knit	4 sts	5 sts	6 sts
(p 2, k 3) 3 times; p 2, knit	26 sts	28 sts	30 sts
p 1, k 3, p 1 (the last 5 sts are thumb gore).			
7th rnd: Knit	4 sts	5 sts	6 sts
(p 2, k 3) 3 times; k around to thumb gore, p and k in next st, k 2, k and p in following st, p last st.			
8th and 9th rnds: Knit	4 sts	5 sts	6 sts

(p 2, k 3) 3 times; p 2, knit around to thumb gore, p 1, k 5, p 1.

10th rnd: Knit

4 sts 5 sts 6 sts
* p 2, yarn over, k 3, pass the yarn-over over the 3 k sts. Repeat from * 2 more times; p 2, k around to thumb gore, p and k in next st, k 4, k and p in following st, p last st (9 sts in thumb gore).

11th and 12th rnds: Knit

4 sts 5 sts 6 sts
(p 2, k 3) 3 times; p 2, k around to thumb gore, p 1, k 7, p 1.

Continue in this manner increasing 2 sts in thumb gore every 3rd rnd (in the 1st p st and the st before the 2nd p st), and working yarn-overs in Pattern Stitch every 6th rnd until there are 17 sts in thumb gore for Small size, 19 sts in thumb gore for Medium size, or 21 sts in thumb gore for Large size. Work 2 rnds after last increase rnd. **Next rnd:** Work around in pattern to thumb gore, then slip the sts for thumb gore off on a safety pin to be worked later. **Following rnd:** Cast on 3 sts for inner side of thumb, join and work in pattern around. There are on needles

50 sts	53 sts	56 sts
Work around in Pattern Stitch for 1 inch, then work around in stockinette st for ½ inch, or until glove, when tried on, reaches to the base of the fingers. Put glove on and mark fingers by putting safety pin on palm and back of hand between each finger. Mark off for forefinger	15 sts	15 sts
Mark off for middle finger	12 sts	13 sts
Mark off for ring finger	11 sts	12 sts
Mark off for little finger	12 sts	13 sts
When odd number of sts is required for		

a finger, always have the larger number of sts on the back of the hand, with 1 st less on the palm.

K around to where the sts were marked off for little finger, k the sts for little finger, then take all other sts off on a strand of yarn, to be worked later.

LITTLE FINGER . . . Divide the sts for little finger on 3 needles, cast on 3 sts for inner side of finger and work around in stockinette st until finger, when tried on, reaches ½ inch from fingertip (about 2 inches). **Next rnd:** * K 1, k 2 tog. Repeat from * around. Work 1 rnd straight. **Following rnd:** K 2 tog around. Break yarn, leaving a 6-inch end. Thread this end into a sewing needle and run through the remaining sts. Draw tight and darn in end on wrong side to reinforce tip.

RING FINGER . . . Pick up sts for ring finger from strand of yarn, and 3 sts on the 3 sts cast on for little finger. Cast on 3 sts between palm and back of hand as before. Divide the sts on 3 needles and work around until ½ inch from tip of finger (about 2½ inches in all). Finish as for little finger.

MIDDLE FINGER . . . Pick up sts for middle finger, and 3 sts on the 3 sts cast on for ring finger, then cast on 3 sts between palm and back of hand. Work about 2¾ inches (½ inch from fingertip), and finish as for little finger.

FOREFINGER . . . Pick up sts for forefinger and 3 sts on the 3 sts cast on for middle finger. Work as for ring finger.

THUMB . . . Pick up the sts from safety pin for thumb, and 3 sts on the 3 cast-on sts. Work straight for about 2 inches and finish as for little finger.

Continued on page 14

At Ease No. 391 CONTINUED FROM PAGE 4

To shape shoulder, starting at armhole edge bind off once

11 sts 11 sts 11 sts 12 sts

Starting at same edge bind off twice

11 sts 11 sts 12 sts 12 sts

Attach yarn at opposite side of neck edge and work other side to correspond.

FRONT NECKBAND . . . With right side facing and No. 3 needles, pick up along neck edge

72 sts 72 sts 80 sts 80 sts

Work tightly in ribbing of k 2, p 2 for ¾ inch. Bind off loosely.

BACK . . . Work as for Front, omitting neck shaping until piece measures from 1st row of armhole shaping

8½" 8½" 9" 9"

To shape shoulders, bind off at begin-

ning of next 2 rows

11 sts 11 sts 11 sts 12 sts

Bind off at beginning of following 4 rows

11 sts 11 sts 12 sts 12 sts

Bind off for back of neck remaining

36 sts 38 sts 40 sts 42 sts

BACK NECKBAND . . . With right side facing, pick up along back of neck

40 sts 40 sts 48 sts 48 sts

Work exactly as for Front Neckband. Sew up shoulder seams.

SLEEVES . . . Starting at right armhole of Back (right side facing), slip the sts from safety pin onto No. 5 needle, attach yarn and pick up 82 sts around armhole edge. Place the sts on right front pin onto the free needle and work across them as follows: *On size 38*, k 3, p 2. *On size 40*, k 4, p 2. *On sizes 42 and 44*,

p 1, k 4, p 2. There are on needle

92 sts 92 sts 96 sts 96 sts

Next row: (Wrong side) K 2, * p 4, k 2. Repeat from * across. **Following row:** P 2, * k 4, p 2. Repeat from * across. The last 2 rows constitute the pattern of sleeves. Work straight in pattern for 4 inches. Dec 1 st at both ends of next row and on 1 row every inch thereafter until there remain

64 sts 64 sts 68 sts 68 sts

Work straight until piece measures 19 inches from where sts were picked up. Dec evenly to


56 sts 56 sts 60 sts 60 sts

Change to No. 3 needles and work in ribbing of k 2, p 2 for 4 inches. Bind off loosely in ribbing.

Sew underarm and sleeves in one continuous seam.

Match Play

No. 393 . . . Actually a year 'round sleeveless pull-over; warmly cable-knit, fits easily under a jacket, too!



MATERIALS:

CHADWICK'S RED HEART KNITTING WORSTED (2 oz. skeins or 1 oz. balls).

SIZE 36—13 oz. SIZE 38—14 oz. SIZE 40—15 oz. SIZE 42—16 oz.

CLARK'S O.N.T. KNITTING PINS, 1 pair No. 4 and 1 pair No. 6.

MEASUREMENTS FOR BLOCKING:

Sizes	36	38	40	42
Chest:	36"	38"	40"	42"
Length from top of shoulder:	26"	26"	27"	27"
Width across back or front at underarm:	18"	19"	20"	21"
Width across back or front between armholes (including armbands):	13"	13½"	14"	14½"
Length from underarm to lower edge (including armband):	16½"	16½"	17"	17"

GAUGE: 14 sts (1 pattern) makes 2¼ inches; 7 rows make 1 inch.

Sizes	36	38	40	42
-------	----	----	----	----

FRONT . . . With No. 4 needles cast on 112 sts 120 sts 128 sts 132 sts

Work in ribbing of k 2, p 2 for 4 inches decreasing 1 st on last row. Change to No. 6 needles and work as follows over remaining 111 sts 119 sts 127 sts 131 sts

1st row: (P 1, k 3)	2	3	4	
	times	times	times	once

(p 1, k 9, p 1, k 3)	6	6	6	8
	times	times	times	times
p 1, k 9, p 1, (k 3, p 1)	2	3	4	once
	times	times	times	once

2nd row: (K 1, p 3)	2	3	4	
	times	times	times	once
(k 1, p 9, k 1, p 3)	6	6	6	8
	times	times	times	times
k 1, p-9, k 1, (p 3, k 1)	2	3	4	once
	times	times	times	once

3rd to 6th rows incl: Repeat 1st and 2nd rows alternately 2 more times. 7th row: (P 1, k 3) 2 3 4

times times times once
p 1, make a cable over next 9 sts as follows: Slip next 3 sts onto a double-pointed needle and hold at back of work; k the next 3 sts; bring the double-pointed needle from back to front of work; k the next 3 sts from left-hand needle; then k the 3 sts from double-pointed needle; p 1, (k 3, p 1, cable, p 1)

	6	6	6	8
	times	times	times	times
(k 3, p 1)	2	3	4	once
	times	times	times	once

8th row: Same as 2nd row. These 8 rows constitute the pattern. Repeat pattern until piece measures in all

15½" 15½" 16" 16"

Next row: Work in pattern across

54 sts 58 sts 62 sts 64 sts

k 2 tog, work across remaining

55 sts 59 sts 63 sts 65 sts

Following row: Work across

55 sts 59 sts 63 sts 65 sts

turn. Work over these sts only, shaping neck and armhole simultaneously as follows: Dec 1 st at neck edge on next row and every 4th row thereafter—8 times. Do not cross cable at neck edge unless there is 1 st more at neck edge than the 9 sts needed for cable.

AT THE SAME TIME

Starting at side edge bind off once

6 sts 7 sts 7 sts 8 sts

Bind off 3 sts at side edge every other row

3 4 5 5

times times times times

Dec 1 st at side edge every other row

5 3 3 2

times times times times

Dec 1 st at neck edge every other row until there remain

20 sts 21 sts 21 sts 23 sts

Work straight until piece measures from 1st row of armhole shaping

10" 10" 10½" 10½"

To shape shoulder, starting at armhole edge, bind off twice

7 sts 7 sts 7 sts 8 sts

Starting at armhole edge bind off remaining

6 sts 7 sts 7 sts 7 sts

Continued on next page

Blue Print for America

No. 354 Illustrated on page 3

MEASUREMENTS FOR BLOCKING:

Sizes	36	38	40	42
Chest (sweater buttoned):	37"	39"	41½"	44"
Across back at underarm:	17"	19"	19"	21"
Across each front at underarm:	10½"	10½"	12"	12"
Shoulder to lower edge:	26"	26"	26½"	26½"
Side seam:	17"	17"	17"	17"
Sleeve seam:	21½"	21½"	22"	22½"
Across sleeve at upperarm:	15"	15½"	16½"	16½"

GAUGE: 7 sts make 1 inch; 9 rows make 1 inch.

Sizes	36	38	40	42
-------	----	----	----	----

BACK... Cast on

121 sts 133 sts 133 sts 145 sts
1st row: K 4, * p 2, k 1, p 2, k 7. Repeat from * across, ending with k 4. **2nd row:** P 4, * k 2, p 1, k 2, p 7. Repeat from * across, ending with p 4. Repeat these 2 rows for pattern until piece measures 17 inches.

To shape armholes: Bind off, at the beginning of the next 2 rows

4 sts	7 sts	7 sts	8 sts
-------	-------	-------	-------

Dec 1 st at end of each row until there remain 103 sts 105 sts 109 sts 113 sts

Work straight until piece measures from 1st row of armhole shaping

8"	8½"	8½"	9"
----	-----	-----	----

To shape shoulders, bind off at the beginning of the next 6 rows

11 sts	11 sts	12 sts	12 sts
--------	--------	--------	--------

Bind off the remaining sts for back of neck.

POCKET LINING (Make 2)...

Cast on 31 sts. Work in stockinette st for 4 inches, ending with a k row. Place these sts on a stitch holder to be worked later.

RIGHT FRONT... Cast on

76 sts 76 sts 88 sts 88 sts
1st row: K 10, * p 2, k 7, p 2, k 1. Repeat from * across, ending with p 2, k 4. **2nd row:** P 4, * k 2, p 1, k 2, p 7. Repeat from * across to last 12 sts, then k 12. Repeat these 2 rows for pattern until piece measures 4 inches, ending at front edge. **Next row:** Work across 25 sts, take the next 29 sts off on a safety pin and finish row. **Following row:** Work across

21 sts 21 sts 33 sts 33 sts
 Pick up Pocket Lining, p tog next st and 1st st of Pocket Lining, work in pattern across next 29 sts of Pocket Lining, p 2 tog as before and finish row. Work in pattern until piece measures 16 inches, ending at front edge. **Next row:** K 10, p 2 tog (thus starting neck shaping), and continue in pattern across. **Following row:** Work back to front edge. **Next row:** K 10, k 2 tog and continue in pattern across. Continue in this manner, decreasing 1 st inside of front border every 2nd row 3 more times, ending at side edge.

To shape armhole: Bind off at beginning of next row

4 sts	7 sts	7 sts	8 sts
-------	-------	-------	-------

Now shape neck and armhole simultaneously by decreasing 1 st at armhole edge every 2nd row

5 times	7 times	5 times	8 times
---------	---------	---------	---------

AT THE SAME TIME
 decreasing 1 st at neck edge (inside border) every 2nd row

8 more once 18 more 12 more times more times times

Then dec 1 st at neck edge every 4th row until there remain

43 sts	43 sts	46 sts	46 sts
--------	--------	--------	--------

Work straight until piece measures, from 1st row of armhole shaping,

8"	8"	8½"	8½"
----	----	-----	-----

Bind off every 2nd row at armhole edge 3 times 11 sts 11 sts 12 sts 12 sts

Work the remaining 10 sts in garter st for 2¼ inches. Bind off.

LEFT FRONT... Cast on

76 sts 76 sts 88 sts 88 sts
1st row: K 4, * p 2, k 1, p 2, k 7. Repeat from * across to last 12 sts, then p 2, k 10. **2nd row:** K 12, * p 7, k 2, p 1, k 2. Repeat from * across ending with p 4. Repeat these 2 rows for pattern until piece measures 1 inch, ending at front edge. **Next row:** Make a buttonhole 4 sts from front edge—to make a buttonhole, bind off 3 sts; on following row cast on 3 sts to replace those bound off. Continue to work Left Front to correspond with Right Front, making buttonholes every 2½ inches until (always measure from 1st buttonhole) there are 7 buttonholes in all. Finish to correspond with Right Front.

SLEEVES... Starting at bottom, cast on 50 sts 52 sts 56 sts 60 sts
 Work tightly in ribbing of k 1, p 1 for 4½ inches.

Next row: Knit, increasing evenly across row, to

67 sts	67 sts	79 sts	79 sts
--------	--------	--------	--------

Following row: * P 7, k 2, p 1, k 2. Repeat from * across, ending with p 7.

Work in pattern as established for 1 inch. Inc 1 st at both ends of every 6th row (working increased sts in pattern) until there are

107 sts	111 sts	115 sts	115 sts
---------	---------	---------	---------

Work straight until sleeve measures

21½"	21½"	22"	22½"
------	------	-----	------

To shape top, bind off 6 sts at the beginning of the next 14 rows. Bind off the remaining sts.

POCKET BANDS... Pick up the 29 sts held on safety pin and work tightly in garter st for 8 rows. Bind off.

Block pieces to measurements given. Sew shoulder, side and sleeve seams. Sew seam in back of garter st border and sew to back neck edge. Set in sleeves. Whip pocket linings and pocket bands into place. Sew on buttons.

Match Play No. 393

Continued from opposite page

Attach yarn where sts were divided and work remaining

55 sts	59 sts	63 sts	65 sts
--------	--------	--------	--------

FRONT NECKBAND... With right side facing and No. 4 needles, pick up from left shoulder to center front

58 sts	58 sts	62 sts	62 sts
--------	--------	--------	--------

Place a marker on the needle, then pick up the same number of sts from center front to right shoulder. There are on needle

116 sts	116 sts	124 sts	124 sts
---------	---------	---------	---------

Now work as follows: **1st row:** P 2, * k 2, p 2. Repeat from * to marker. Slip marker, then p 2, * k 2, p 2. Repeat

from ** across. **2nd row:** K 2, p 2 ribbing to within 2 sts from marker, k 2 tog through the back of the sts, slip marker, k 2 tog through the front of the sts; finish row in ribbing. Continue in this manner, working ribbed pattern on the odd rows and decreasing before and after the marker on the even rows until band is ¾ inch wide. Bind off loosely in ribbing.

BACK... Work as for Front, omitting neck shaping until piece measures from 1st row of armhole shaping

10"	10"	10½"	10½"
-----	-----	------	------

Shape shoulders by binding off at beginning of next 4 rows

7 sts	7 sts	7 sts	8 sts
-------	-------	-------	-------

Bind off at beginning of following 2 rows 6 sts 7 sts 7 sts 7 sts

Bind off for back of neck remaining

31 sts	33 sts	35 sts	35 sts
--------	--------	--------	--------

BACK NECKBAND... With right side facing and No. 4 needles, pick up along back of neck

34 sts	34 sts	38 sts	38 sts
--------	--------	--------	--------

Work in ribbing of p 2, k 2 for ¾ inch. Bind off in ribbing. Sew up shoulder seams.

ARMHOLE BANDS... With right side facing and No. 4 needles, pick up along armhole edge

138 sts	138 sts	146 sts	146 sts
---------	---------	---------	---------

Work in ribbing of k 2, p 2 for ¾ inch. Bind off loosely in ribbing.

Sew underarm seams. Press through damp cloth with hot iron following measurements given.

Victory Vest

No. 389

MEASUREMENTS FOR BLOCKING:

Sizes	38	40	42
Chest:	37"	39"	41"
Shoulder to point of front (without band):	20"	20"	20"
Shoulder to lower edge of back:	19½"	19½"	19½"
Across back at underarm:	18½"	19½"	20½"
Across each front at underarm (without band):	8¾"	9¼"	9¾"
Across back at bottom edge:	16½"	17"	17½"

GAUGE: (PATTERN STITCH) 15 sts make 2 inches; 11 rows make 1 inch.

Sizes	38	40	42
-------	----	----	----

BACK . . . Starting at the bottom, with No. 3 needles and with main color, cast on

120 sts 128 sts 136 sts

Work in stockinette st (k 1 row, p 1 row) for 1½ inches. Inc 1 st at both ends of next row and every 6th row thereafter until there are

138 sts 146 sts 154 sts

Work straight until piece measures 9 inches.

To shape armholes: Bind off at the beginning of the next 2 rows

9 sts 9 sts 11 sts

Bind off at the beginning of the next 4 rows

2 sts 3 sts 3 sts

Dec 1 st at end of each row until there remain

90 sts 94 sts 98 sts

Work straight until piece measures 9½ inches from 1st row of armhole shaping.

To shape shoulders, bind off at the beginning of the next 6 rows

7 sts 8 sts 8 sts

Bind off the remaining sts for back of neck.

POCKET LININGS (Make 3) . . .

With No. 3 needles and main color, cast on 31 sts. Work in stockinette st until piece measures 2½ inches, ending with a knit row. Lay these pieces aside on a spare needle, to be used later.

RIGHT FRONT . . .

Starting at point, with No. 3 needles and main color, cast on 8 sts. **1st row:** P across. **2nd row:** Attach contrasting color, drop main color and work as follows: Inc in 1st st, k 1, then with yarn in back of work sl 1 st as if to p, k 3, sl 1, k 1. Cast on 4 sts. **3rd row:** P 5, with yarn in front of work sl 1 st as if to p, p 3, sl 1, p 3 (front edge). **4th row:** With main color inc in 1st st, * with yarn in back of work sl 1 st, k 3. Repeat from * across. Cast on 4 sts. **5th row:** P 7, * with yarn in front of work sl 1 st, p 3. Repeat from * across ending with p 2. **6th row:** With main color, inc in 1st st, k across remainder of row. Cast on 4 sts. **7th row:** P across. **8th row:** With con-

trasting color, inc in 1st st, k 2, * sl 1, k 3. Repeat from * across. Cast on 4 sts. **9th row:** P 7, * sl 1, p 3. Repeat from * across ending with p 4. **10th row:** With main color, inc in 1st st, k 1, * sl 1, k 3. Repeat from * across. Cast on 4 sts. **11th row:** P 5, * sl 1, p 3. Repeat from * across. **12th and 13th rows:** Same as 6th and 7th rows. **14th row:** With contrasting color, inc in 1st st, * k 3, sl 1. Repeat from * across. Cast on 4 sts. **15th row:** Same as 11th row. **16th row:** With main color, inc in 1st st, k 2, * sl 1, k 3. Repeat from * across. Cast on 4 sts. **17th row:** Same as 9th row. **18th and 19th rows:** Same as 6th and 7th rows.

Sizes 40 and 42 only: **20th row:** With contrasting color inc in 1st st, * sl 1, k 3. Repeat from * across. Cast on 4 sts. **21st row:** Same as 9th row, ending with p 2.

Size 42 only: **22nd row:** With main color, inc in 1st st, * k 3, sl 1. Repeat from * across. Cast on 4 sts. **23rd row:** Same as 11th row.

All sizes: There are on needle

53 sts 58 sts 63 sts

Work in pattern as established for 1 inch. Inc 1 st at side edge on next row and every 6th row thereafter until there are

56 sts 61 sts 66 sts

ending at front edge.

Next row: Work in pattern across 1st 51 sts, take the last 31 sts worked off on a stitch holder to be worked later for Pocket Band, and work in pattern across remaining

5 sts 10 sts 15 sts

Following row: Work in pattern to pocket opening, work in pattern across the 31 sts of Pocket Lining, then work across the last 20 sts. Work in pattern, still increasing 1 st at side edge every 6th row as before, until there are

63 sts 67 sts 71 sts

Work straight until underarm edge measures 1 inch less than underarm of Back, ending at side edge.

To shape armhole: Bind off at beginning of next row

9 sts 9 sts 11 sts

Bind off every other row at armhole edge twice

2 sts 2 sts 3 sts

Dec 1 st at armhole edge every other row until there remain

41 sts 43 sts 45 sts

Work armhole edge straight but shape neck edge by decreasing 1 st at neck edge every other row

9 times 9 times 10 times

Dec 1 st at neck edge every 4th row until there remain

22 sts 25 sts 25 sts

Work straight until piece measures 9½ inches from 1st row of armhole shaping. Bind off at armhole edge every other row twice

7 sts 8 sts 8 sts

Work 1 row. Bind off the remaining sts.

LEFT FRONT . . . Starting at point, with No. 3 needles and main color, cast on 8 sts. **1st row:** P across. Cast on 4 sts. **2nd row:** With contrasting color,

k 2, (sl 1, k 3) twice; sl 1, inc in last st. **3rd row:** P 2, * sl 1, p 3. Repeat from * across. Cast on 4 sts. **4th row:** With main color, k 4, (sl 1, k 3) 3 times; inc in last st. **5th row:** P 1, * sl 1, p 3. Repeat from * across ending with p 4. Cast on 4 sts. **6th row:** K across increasing 1 st in last st. **7th row:** P across. Cast on 4 sts. **8th row:** With contrasting color, k 4, * sl 1, k 3. Repeat from * across, increasing 1 st in last st. **9th row:** * P 3, sl 1. Repeat from * across ending with p 4. Cast on 4 sts. **10th row:** With main color k 2, * sl 1, k 3. Repeat from * across, increasing 1 st in last st. **11th row:** Same as 3rd row. Cast on 4 sts. **12th and 13th rows:** Same as 6th and 7th rows. Pattern is now established. Continue working in pattern, reversing shaping and making pocket opening (on row which starts at side edge) to correspond with Right Front. Work until piece is ½ inch shorter than Right Front to underarm, ending at side edge. **Next row:** Work across 46 sts, take the last 31 sts worked off for pocket opening as before, and finish row. **Following row:** Work across Pocket Lining. Complete Left Front to correspond with Right Front.

POCKET BANDS . . . With No. 1 needles pick up the 31 sts being held on stitch holder. Join main color and work in ribbing of k 1, p 1 increasing 1 st at both ends of 1st row. Work 6 rows and bind off loosely in ribbing.

BAND . . . With No. 1 needles and main color, cast on 12 sts. **1st row:** Sl 1, then k 1, p 1 alternately across. Repeat this row until piece measures

8" 8½" 9"

Make a buttonhole on next row — to make a buttonhole work 4 sts, bind off the next 4 sts and finish row. On following row cast on 4 sts to replace those bound off. Buttonhole is repeated every second 2 inches (about 17½ inches) until there are 6 buttonholes in all. Continue working ribbing as before until piece measures in all

56" 57" 58"

Bind off.

Block fronts and back to measurements given. Sew shoulder seams. With wrong side facing, using main color, work 1 row of sc completely around bottom, front and neck edges of fronts, covering all loose strands of yarn, and keeping shape of front points. Block band, stretching in length to reach from left side seam completely around both fronts to right side seam. Starting at left side seam sew on band over crochet edge, being careful to have top and bottom buttonholes at ends of straight portion of front, and holding back of neck in to measure about 4½ inches. Buttonholes are on left front. If necessary, rip out additional length of band. With main color, work 1 row of sc across bottom of back, holding in to proper measurement. Sew side seams. Whip pocket linings and ends of pocket bands into place. With wrong side facing, using main color, work 3 rows of sc around armhole edges. Sew on buttons.

Victory Vest

No. 389 . . . He'll wear this smart knit in place of a regular vest with his suits for business; team it with a casual shirt for sports.



MATERIALS: CHADWICK'S RED HEART SHETLAND FLOSS (*1 oz. balls*).

SIZE 38—5 balls of main color. SIZES 40 and 42—6 balls of main color.

1 ball of contrasting color for each size.

CLARK'S O.N.T. KNITTING PINS, 1 pair No. 1 and 1 pair No. 3. 6 Buttons.

MEASUREMENTS FOR BLOCKING:

Sizes	38	40	42	44
Chest:	38"	40"	42"	44"
Across back at underarm:	19"	20"	21"	22"
Across each front at underarm:	10"	11"	11½"	12½"
Length from top of shoulder:	26"	26"	26½"	26½"
Length from underarm to lower edge:	17"	17"	17"	17"
Length of sleeve (underarm seam):	22½"	22½"	22½"	22½"
Across sleeve at upperarm:	15"	15"	16"	16½"

GAUGE: 5½ sts make 1 inch; 7 rows make 1 inch.

Sizes	38	40	42	44
BACK . . . With No. 5 needles, cast on	106 sts	110 sts	114 sts	118 sts

Work in ribbing of k 2, p 2, for
1¾" 1¾" 2" 2"

Work in stockinette st (k 1 row, p 1 row) until piece measures 17 inches in all.

To shape armholes: Work across
8 sts 8 sts 9 sts 9 sts

Place these sts on a safety pin, work across row to last

8 sts 8 sts 9 sts 9 sts
and place these last sts on another safety pin.

Work straight over remaining
90 sts 94 sts 96 sts 100 sts
for 8½" 8½" 9" 9"

To shape shoulders, bind off at beginning of next 4 rows

7 sts 8 sts 8 sts 8 sts

Bind off at beginning of next 4 rows
8 sts 8 sts 8 sts 9 sts

Bind off loosely for back of neck the remaining
30 sts 30 sts 32 sts 32 sts

POCKET LINING (Make 2) . . . With No. 5 needles, cast on 24 sts. Work in stockinette st for 4½ inches. Leave sts on a spare needle, with yarn at end of a k row. Lay these pieces aside.

RIGHT FRONT . . . With No. 5 needles, cast on
56 sts 60 sts 64 sts 68 sts

1st row: * P 2, k 2. Repeat from * to 6 sts from end of row, k 6. **2nd row:** K 8, * p 2, k 2. Repeat from * across. Repeat these 2 rows alternately for

1¾" 1¾" 2" 2"
(6 sts in garter st for front band). Work in stockinette st, still keeping 6 sts in garter st for front band, for 3½ inches ending with a k row.

Next row: Purl
14 sts 16 sts 18 sts 20 sts

K next 24 sts, p next
12 sts 14 sts 16 sts 18 sts
K remaining 6 sts.

Following row: K across. Repeat these 2 rows alternately for 1 inch. **Next row:** With right side facing, k across

18 sts 20 sts 22 sts 24 sts
Bind off next 24 sts for pocket opening and finish row.

Following row: P across
14 sts 16 sts 18 sts 20 sts
P across the 24 sts of 1 Pocket Lining and finish row. Work straight until piece measures 17 inches in all.

To shape armhole and neckline: With right side facing, k 6 sts, sl 1, k 1, p.s.s.o., k across to last

8 sts 9 sts 10 sts 11 sts
Place these last sts on a safety pin; turn and work back to front edge.

Next row: K 6, sl 1, k 1, p.s.s.o., k to end of row (1 st decreased). Work armhole edge straight and dec 1 st at front edge, *inside the garter st band*, as before, every 2nd row

once 2 more 5 more 6 more
more times times times times

Now dec 1 st at front edge every 4th row until there remain

36 sts 38 sts 38 sts 40 sts

Work straight until armhole measures same as Back armhole. Shape shoulder

by binding off at armhole edge every other row twice

7 sts 8 sts 8 sts 8 sts
Then bind off at armhole edge every other row twice
8 sts 8 sts 8 sts 9 sts

On remaining 6 sts, inc 1 st at shoulder edge and work in garter st on 7 sts for
2" 2" 2¼" 2¼"

Bind off.

LEFT FRONT . . . 1st row: * K 2, p 2. Repeat from * across to last 8 sts, then k 8 (front edge). **2nd row:** K 6, * p 2, k 2. Repeat from * across. Work to correspond with Right Front, making a buttonhole 2 sts in from front edge when piece measures

1" 1" 1½" 1½"
and, measuring from the 1st buttonhole, every 2½ inches thereafter, until 7 in all are made—to make a buttonhole, on one row bind off 2 sts and on next row cast on 2 sts to replace those bound off.

Note: To make decreases for neck shaping, k together the 7th and 8th sts from front edge. Finish to correspond with Right Front. Sew up shoulder seams.

SLEEVES . . . Place the sts from safety pin of right armhole of Back onto No. 5 needle; pick up around armhole
66 sts 66 sts 70 sts 70 sts

K the sts at Right Front onto this needle. There are on needle

82 sts 83 sts 89 sts 90 sts
Work straight in stockinette st for 3 inches.

Dec 1 st at both ends of next row and 1 row every inch thereafter until there remain 54 sts 55 sts 59 sts 60 sts
Work straight until sleeve measures 18 inches.

Change to No. 3 needles and work 1 row decreasing evenly across to

54 sts 55 sts 59 sts 60 sts
Work in ribbing of k 2, p 2 for 4½ inches. Bind off loosely in ribbing.

Block to measurements given. Sew pocket linings in place. Sew sleeve and underarm seams in one continuous seam. Sew ends of neckband to back of neck and seam at center back. Sew on buttons.



Defense Worker

No. 386 . . . Easy, rugged-knit sweater for the man behind the man-with-the-gun . . . sturdy and warm for chilly days.



MATERIALS: CHADWICK'S RED HEART KNITTING WORSTED (*1 oz. balls or 2 oz. skeins*).

SIZE 38—18 oz. SIZE 40—19 oz. SIZE 42—20 oz. SIZE 44—21 oz.

CLARK'S O.N.T. KNITTING PINS, 1 pair No. 3 and 1 pair No. 5.

7 buttons.

Practical Workman No. 390

MEASUREMENTS FOR BLOCKING:

Sizes	36	38	40
Chest:	36"	38"	40"
Length from top of shoulder:	24"	24"	25"
Width across back or front between armholes (including armbands):	13"	13½"	14"
Length from underarm to lower edge:	15½"	15½"	16"

GAUGE: 5½ sts make 1 inch; 7 rows make 1 inch.

Sizes	36	38	40
BACK . . . With No. 3 needles cast on	92 sts	96 sts	104 sts

Work in ribbing of k 2, p 2 for
3½" 3½" 4"

Change to No. 6 needles and work 1 more row increasing evenly across to
100 sts 105 sts 110 sts

Work in stockinette st (k 1 row, p 1 row) until piece measures in all
13½" 13½" 14"

To shape armholes: Bind off 7 sts at beginning of the next 2 rows and 4 sts at beginning of following 2 rows. Bind off 2 sts at beginning of the next 4 rows. Dec 1 st at end of each row until there remain
60 sts 63 sts 66 sts

Work straight until piece measures from 1st row of armhole shaping, ending with a k row,
7" 7" 7½"

Work next 5 rows in garter st (k each row), thus forming 3 ridges on right side. Resume stockinette st and work straight until piece measures from 1st row of armhole shaping
10" 10" 10½"

Shape shoulders by binding off 5 sts at beginning of next 4 rows. Then bind off at beginning of next 2 rows

5 sts 5 sts 6 sts

Bind off for back of neck remaining
30 sts 33 sts 34 sts

RIGHT FRONT . . . With No. 3 needles cast on 48 sts 52 sts 56 sts

1st row: (Wrong side) K 4 (front band), * p 2, k 2. Repeat from * across.
2nd row: (Right side) * P 2, k 2. Repeat from * across to last 4 sts, k 4 (front band). Repeat these 2 rows alternately until piece measures
3½" 3½" 4"

Change to No. 6 needles and work 1 more row increasing evenly (across ribbing) to
54 sts 57 sts 60 sts

Keeping the 4 sts of front band in garter st, work in stockinette st until piece measures in all 13½" 13½" 14"

To shape armhole: Starting at underarm edge bind off every other row as follows: 7 sts once, 4 sts once, 2 sts twice. Then dec 1 st at armhole edge until there remain
34 sts 36 sts 38 sts

Work straight until piece measures from 1st row of armhole shaping
6" 6" 6½"

Starting at front edge bind off 12 sts for neck shaping. Then dec 1 st at neck edge every other row
7 9 10
times times times
HOWEVER

When piece measures from 1st row of armhole shaping 7" 7" 7½" work 5 rows of garter st, continuing neck decreases (3 ridges on right side).

There remain on needle
15 sts 15 sts 16 sts

Work straight until piece measures from 1st row of armhole shaping
10" 10" 10½"

Starting at armhole edge bind off 5 sts every other row twice. Starting at same edge bind off remaining

5 sts 5 sts 6 sts

LEFT FRONT . . . Work to correspond with Right Front, making a buttonhole when piece measures

1½" 1½" 1"

and, measuring from the 1st buttonhole, every 2½ inches thereafter, until there are in all 7 7 8 buttonholes—to make a buttonhole, starting at front edge k 1, k 3 tog, O, finish row. On next row k and p into the O.

NECKBAND . . . Sew up shoulder seams. With right side facing and No. 3 needles, pick up along entire neck edge
110 sts 110 sts 126 sts

Work tightly in ribbing of k 2, p 2 for ½ inch. On next row make a buttonhole in line with previous buttonholes. Continue in ribbing until band measures 1 inch. Bind off in ribbing.

ARMBANDS (Make 2) . . . With No. 3 needles cast on 9 sts. Work in ribbing of k 1, p 1 for 21" 21" 22" Bind off. Block to measure same as armhole edge.

POCKETS . . . Starting at top with No. 6 needles, cast on 19 sts. K 5 rows of garter st (3 ridges on right side). Then work in stockinette st until piece measures 4½ inches in all. Bind off.

Sew underarm seams. Place right side of armband on right side of sweater and sew around armhole with close over-and-over sts having seam at underarm. Sew on buttons to correspond with buttonholes. Turn under a fraction of an inch around side and bottom edge of pockets, and sew in place as in illustration. Press through a damp cloth following measurements given.

Champion No. 384 Continued from page 5

SLEEVES . . . Sew up shoulder seams. With right side facing, place the sts from safety pin of right armhole of Back onto No. 4 needle; pick up around armhole
107 sts 103 sts 106 sts 104 sts

Work sts from pin at Right Front onto this needle. There are now on needle
127 sts 127 sts 134 sts 134 sts

Work straight in Pattern Stitch for 2½ inches. Dec 1 st at both ends of next row

and every 5th row thereafter until there remain 71 sts 71 sts 78 sts 78 sts

Work straight until sleeve measures
18" 18" 19" 19"

Dec evenly across next row to
60 sts 60 sts 64 sts 64 sts

Change to No. 3 needles and work in ribbing of k 2, p 2 for 4 inches. Bind off loosely in ribbing.

Block to measurements given. Sew underarm and sleeve seams with one continuous seam.

Grandstander No. 395 Continued from page 7

RIGHT HAND . . . Same as Left Hand to beginning of thumb shaping.
1st rnd: Knit. 26 sts 28 sts 30 sts (p 2, k 3) 3 times; p 2, knit
4 sts 5 sts 6 sts
then p, k and p in the last st.

2nd and 3rd rnds: Knit
26 sts 28 sts 30 sts (p 2, k 3) 3 times; p 2, knit
4 sts 5 sts 6 sts

p 1, k 1, p 1.

Work remainder of glove to correspond with left hand, working pattern as established.

Practical Workman

No. 390 . . . He delivers the goods in a sleeveless jacket, snugly knit with a close-fitting neck to guard his health.



MATERIALS: CHADWICK'S RED HEART SWEATER WOOL (*1 oz. balls*).

SIZE 36—9 balls. SIZE 38—10 balls. SIZE 40—11 balls.

CLARK'S O.N.T. KNITTING PINS, 1 pair No. 3 and 1 pair No. 6. Buttons.

“Chips Off the Old.....”

Here's our wonderful, new “Like-Father-like-Son” sweater series for proud dads and their active sons. Easy to make (we give you a range of sizes from 8 to 42!), practical as the times, and so handsome — you'll be doubly proud of the men in your family!

Top Flighters No. 388



MATERIALS: CHADWICK'S RED HEART SWEATER WOOL (1 oz. balls).

FOR SON: SIZE 8—6 balls. SIZE 10—7 balls. SIZES 12 and 14—8 balls.

FOR FATHER: SIZE 36—9 balls. SIZE 38—10 balls. SIZE 40—11 balls. SIZE 42—12 balls.

CLARK'S O.N.T. KNITTING PINS, 1 pair No. 3 and 1 pair No. 5.

Top Flighters No. 388 . . . Directions cover a choice of V neck or round neck for both Father and Son.

MEASUREMENTS FOR BLOCKING:									
Sizes	8	10	12	14	36	38	40	42	
Chest:	28"	30"	32"	34"	36"	38"	40"	42"	
Across back at underarm:	13"	15"	15"	17"	17"	19"	19"	21"	
Across front at underarm:	15"	15"	17"	17"	19"	19"	21"	21"	
Length from top of shoulder:	18½"	20"	21½"	23"	24"	25"	26"	26"	
Side seam (including armhole band):	11½"	12½"	14"	15"	15½"	16"	16½"	16½"	
GAUGE: 11 sts make 2 inches; 9 rows make 1 inch.									
PATTERN STITCH: (A multiple of 10 sts plus 5.) 1st row: * K 5, (p 1, k 1) twice; p 1. Repeat from * across, ending with k 5. 2nd row: P 6, * k 1, p 1, k 1, p 7. Repeat from * across, ending with p 6. 3rd, 4th and 5th rows: Repeat the 1st and 2nd rows, then the 1st row once more. 6th row: * (K 1, p 1) twice; k 1, p 5. Repeat from * across ending with (k 1, p 1) twice; k 1. 7th row: (K 1, p 1) twice; * k 7, p 1, k 1, p 1. Repeat from * across ending with (p 1, k 1) twice. 8th, 9th and 10th rows: Repeat the 6th and 7th rows, then the 6th row once more. Repeat these 10 rows for pattern.									
Sizes	8	10	12	14	36	38	40	42	
BACK . . . Starting at the bottom, with No. 3 needles, cast on									
72 sts	80 sts	84 sts	88 sts	92 sts	100 sts	104 sts	104 sts	112 sts	
Work in ribbing of k 2, p 2 for									
2½"	2½"	3"	3"	3½"	3½"	4"	4"	4"	
Change to No. 5 needles and p 1 row, increasing evenly across to									
75 sts	85 sts	85 sts	95 sts	95 sts	105 sts	105 sts	115 sts	115 sts	
Work in Pattern Stitch until piece measures in all									
10½"	11½"	13"	14"	14½"	15"	15½"	15½"	15½"	
To shape armholes: Bind off at the beginning of the next 2 rows									
5 sts	8 sts	6 sts	9 sts	7 sts	10 sts	8 sts	11 sts	11 sts	
Working pattern as established, dec 1 st at the beginning of each row until there remain									
51 sts	53 sts	55 sts	59 sts	61 sts	65 sts	67 sts	69 sts	69 sts	
Work straight until piece measures, from 1st row of armhole shaping,									
7½"	8"	8"	8½"	9"	9½"	10"	10"	10"	
To shape shoulder, bind off at the beginning of the next 2 rows									
4 sts	5 sts	6 sts	5 sts	6 sts	7 sts	6 sts	6 sts	6 sts	
Bind off at the beginning of the following 4 rows									
4 sts	4 sts	4 sts	5 sts	5 sts	5 sts	5 sts	6 sts	6 sts	
Bind off, for back of neck, the remaining									
27 sts	27 sts	28 sts	29 sts	29 sts	31 sts	31 sts	31 sts	33 sts	

FRONT . . . With No. 3 needles cast on									
76 sts	80 sts	88 sts	92 sts	96 sts	100 sts	108 sts	112 sts	112 sts	
Work ribbing as on Back.									
Change to No. 5 needles and k 1 row, increasing evenly across to									
85 sts	85 sts	95 sts	95 sts	105 sts	105 sts	115 sts	115 sts	115 sts	
Starting with 6th row of Pattern Stitch, work in pattern as on Back until Front is same length as Back to underarm.									
To shape armhole: Bind off at the beginning of the next 2 rows									
8 sts	5 sts	9 sts	6 sts	10 sts	7 sts	11 sts	8 sts	8 sts	
Note: For round-necked sweater, follow directions as written. For V-necked sweaters refer to directions under "V neck."									
Dec 1 st at the beginning of each row until there remain									
51 sts	53 sts	55 sts	59 sts	61 sts	65 sts	67 sts	69 sts	69 sts	
Work straight until piece measures, from 1st row of armhole shaping,									
4½"	5"	5"	5"	5½"	5½"	6"	6"	6"	
Next row: Work across									
19 sts	20 sts	21 sts	22 sts	23 sts	24 sts	25 sts	25 sts	25 sts	
Bind off, for front of neck, the next									
13 sts	13 sts	13 sts	15 sts	15 sts	17 sts	17 sts	17 sts	17 sts	
Work across remaining sts. Turn and work over the last set of sts only, decreasing 1 st at neck edge every other row until there remain									
12 sts	13 sts	14 sts	15 sts	16 sts	17 sts	18 sts	18 sts	18 sts	
Work straight until piece measures, from 1st row of armhole shaping,									
7½"	8"	8"	8½"	9"	9½"	10"	10"	10"	
Bind off at armhole edge									
4 sts	5 sts	6 sts	5 sts	6 sts	7 sts	6 sts	6 sts	6 sts	
Work 1 row.									
Bind off at armhole edge every other row twice									
4 sts	4 sts	4 sts	5 sts	5 sts	5 sts	6 sts	6 sts	6 sts	
Attach yarn at neck edge and work other side to correspond.									
V NECK . . . Dec 1 st at beginning of next									
10	10	10	12	12	12	12	12	14	
rows	rows	rows	rows	rows	rows	rows	rows	rows	
Now shape neck and armhole simultaneously as follows: Next row: Work across the 1st									
28 sts	31 sts	32 sts	34 sts	35 sts	38 sts	39 sts	41 sts	41 sts	
K 2 tog and finish row.									
Turn and work over the last set of sts only, continuing to dec 1 st at armhole edge every other row									
4 more	6 more	6 more	6 more	7 more	7 more	8 more	8 more	8 more	
times	times	times	times	times	times	times	times	times	
At THE SAME TIME									
decreasing 1 st at the neck edge every 4th row.									
Now work armhole edge straight, but continue to dec at neck edge every 4th row as before until there remain									
12 sts	13 sts	14 sts	15 sts	16 sts	17 sts	18 sts	18 sts	18 sts	

Continued on page 233

Double or Nothing

No. 387 . . . Fly-front classics for real outdoor sports . . . a hand-knitted lumberjack, snug to the neck, with close, draft-proof sleeves



MATERIALS: CHADWICK'S RED HEART KNITTING WORSTED (2 oz. skeins or 1 oz. balls).

FOR SON: SIZE 8—18 oz. SIZE 10—22 oz. SIZE 12—26 oz. SIZE 14—30 oz.

FOR FATHER: SIZE 36—20 oz. SIZE 38—24 oz. SIZE 40—28 oz. SIZE 42—32 oz.

CLARK'S O.N.T. KNITTING PINS, 1 pair No. 3 and 1 pair No. 5.

Buttons.

Double or Nothing No. 387

MEASUREMENTS FOR BLOCKING:

Sizes	8	10	12	14	36	38	40	42
Chest:	30"	32"	34"	36"	38"	40"	42"	44"
Across back at underarm:	15"	16"	17"	18"	19"	20"	21"	22"
Across each front at underarm:	7½"	8"	8½"	9"	10"	10½"	11"	11½"
Shoulder to lower edge:	18"	19"	20"	21"	22"	23"	24"	24½"
Side seam:	12"	12½"	13"	13½"	14"	14½"	15"	15"
Sleeve seam:	17"	18"	19"	20"	21"	22"	22"	22"
Across sleeve at upperarm:	11½"	12½"	13"	13½"	14½"	15"	16"	16½"

GAUGE: 11 sts make 2 inches.

Sizes	8	10	12	14	36	38	40	42
-------	---	----	----	----	----	----	----	----

BACK . . . Starting at the bottom with No. 3 needles, cast on

81 sts 87 sts 93 sts 99 sts 105 sts 111 sts 117 sts 123 sts
1st row: K 1, * p 1, k 1. Repeat from * across. 2nd row: P 1, * k 1, p 1. Repeat from * across.

Repeat these 2 rows for ribbing for 3" 3" 3½" 4" 4" 4½" 4½" 4½" ending with the 2nd row.

Change to No. 5 needles and work in pattern as follows: 1st row: Sl 1, * O, with yarn in back of work slip next st as if to p, k 1. Repeat from * across. 2nd row: (Right side) Sl 1, * k 2 tog, p 1. Repeat from * across. Repeat these 2 rows for pattern until piece measures in all 12" 12½" 13" 13½" 14" 14½" 15" 15" ending with 2nd row.

To shape armholes: Bind off at the beginning of the next row 4 sts 4 sts 4 sts 4 sts 4 sts 6 sts 6 sts 6 sts 8 sts O, with yarn in back of work slip next st as if to p, and continue in pattern across to last 4 sts 4 sts 4 sts 4 sts 4 sts 6 sts 6 sts 6 sts 8 sts then p 1, k 1 alternately to end of row.

Following row: Bind off 4 sts 4 sts 4 sts 4 sts 4 sts 6 sts 6 sts 6 sts 8 sts * k 2 tog, p 1. Repeat from * across.

Dec 1 st at both ends of every other row as follows: 1st row: K 2 tog, k 1, O, and continue in pattern across to last 3 sts, then k 1, k 2 tog. 2nd row: Sl 1, p 1, * k 2 tog, p 1. Repeat from * across, ending with p 1, sl 1. 3rd row: K 2 tog, O, and continue in pattern across to last 2 sts, then k 2 tog. 4th row: Sl 1, * k 2 tog, p 1. Repeat from * across.

Repeat the last 4 rows once once 2 more 2 more 2 more 2 more 3 more 3 more more more times times times times times times

There remain 65 sts 71 sts 73 sts 79 sts 81 sts 87 sts 89 sts 91 sts
Work straight in pattern until piece measures, from 1st row of armhole shaping, 6" 6½" 7" 7½" 8" 8½" 9" 9½" 9½"
Bind off loosely in pattern.

LEFT FRONT . . . With No. 3 needles cast on 42 sts 46 sts 48 sts 50 sts 56 sts 58 sts 62 sts 64 sts

1st row: * P 1, k 1. Repeat from * across. Repeat this row until ribbing measures same as on Back.

Change to No. 5 needles and work in pattern as follows: 1st row: Knit 4 sts 4 sts 4 sts 4 sts 6 sts 6 sts 6 sts 6 sts * O, with yarn in back of work slip next st as if to p, k 1. Repeat from * across.

2nd row: Sl 1, * k 2 tog, p 1. Repeat from * across to last 4 sts 4 sts 4 sts 4 sts 6 sts 6 sts 6 sts 6 sts k to end of row (front border).

Repeat these 2 rows for pattern until piece measures in all 12" 12½" 13" 13½" 14" 14½" 15" 15" ending at front edge.

To shape armhole: Next row: Work in pattern across to last 4 sts 4 sts 4 sts 4 sts 6 sts 6 sts 6 sts 6 sts then p 1, k 1 alternately to end of row.

Following row: Bind off 4 sts 4 sts 4 sts 4 sts 6 sts 6 sts 6 sts 6 sts * k 2 tog, p 1. Repeat from * across.

Continue to shape armhole to correspond with Back until there remain 34 sts 36 sts 38 sts 40 sts 44 sts 46 sts 48 sts 48 sts

Work straight until piece measures from 1st row of armhole shaping 4½" 5" 5" 5½" 6" 6" 6½" 7" ending at front edge.

To shape neck, bind off at the beginning of the next row 7 sts 7 sts 7 sts 7 sts 9 sts 9 sts 9 sts 9 sts

Bind off 2 sts at neck edge every other row until there remain 21 sts 23 sts 23 sts 25 sts 27 sts 27 sts 29 sts 29 sts

Work straight until piece measures from 1st row of armhole shaping 6" 6½" 7" 7½" 8" 8½" 9" 9½" Bind off in pattern.

RIGHT FRONT . . . With No. 3 needles cast on as for Left Front. 1st row: * K 1, p 1. Repeat from * across. Repeat this row until ribbing measures same as on Left Front.

Change to No. 5 needles and work in pattern as follows: 1st row: Sl 1, * O, with yarn in back of work slip next st as if to p, k 1. Repeat from * across to last 4 sts 4 sts 4 sts 4 sts 6 sts 6 sts 6 sts 6 sts k to end of row (front border).

Football Heroes

No. 385 . . . 2 stars for the gridiron. Rugged pullovers of double Knitting Worsted, generously knit for plenty of action—warm and durable.



MATERIALS: CHADWICK'S RED HEART KNITTING WORSTED (*1 oz. balls or 2 oz. skeins*).

FOR SON: SIZE 8—16 oz. SIZE 10—19 oz. SIZE 12—21 oz. SIZE 14—24 oz.

FOR FATHER: SIZE 36—27 oz. SIZE 38—29 oz. SIZE 40—32 oz. SIZE 42—34 oz.

CLARK'S O.N.T. KNITTING PINS, 1 pair No. 4.

Knitting Pins, 1 pair No. 9.

Football Heroes No. 385

MEASUREMENTS FOR BLOCKING:

Sizes	8	10	12	14	36	38	40	42
Chest:	28"	30"	32"	34"	36"	38"	40"	42"
Across back or front at underarm:	14"	15"	16"	17"	18"	19"	20"	21"
Length from top of shoulder:	19"	20½"	22"	23½"	25"	26"	26"	27"
Side seam:	13½"	14½"	15½"	16½"	17½"	18"	18"	18½"
Sleeve seam:	17"	18"	19"	20"	21"	22"	23"	24"
Width of sleeve at upperarm:	11½"	12"	13"	13½"	14"	15"	15½"	16"

GAUGE: (Double yarn) 4 sts make 1 inch; 6 rows make 1 inch.

Sizes	8	10	12	14	36	38	40	42
-------	---	----	----	----	----	----	----	----

BACK . . . Starting at the bottom with No. 4 needles and single strand of yarn, cast on 80 sts 84 sts 88 sts 92 sts 100 sts 104 sts 112 sts 116 sts

Work in ribbing of k 2, p 2 for 5" 5" 5½" 5½" 6" 6" 6" 6½"

Attach a second strand of yarn and working with double strand, change to No. 9 needles and k 1 row, decreasing evenly across row to 56 sts 60 sts 64 sts 68 sts 72 sts 76 sts 80 sts 84 sts

Now work in stockinette st (p 1 row, k 1 row) until piece measures in all 13½" 14½" 15½" 16½" 17½" 18" 18" 18½"

To shape armholes: Bind off at the beginning of next 2 rows 4 sts 4 sts 4 sts 4 sts 4 sts 5 sts 6 sts 7 sts

Work straight until piece (ending with a p row) measures, from 1st row of armhole shaping, 5½" 6" 6½" 7" 7½" 8" 8" 8½"

Next row, knit 12 sts 14 sts 15 sts 17 sts 18 sts 19 sts 19 sts 20 sts

Slip these sts onto a stitch holder for right shoulder and k, for back of neck, the next 24 sts 24 sts 26 sts 26 sts 28 sts 28 sts 30 sts 30 sts

Slip remaining 12 sts 14 sts 15 sts 17 sts 18 sts 19 sts 19 sts 20 sts onto 2nd stitch holder for left shoulder.

Work on neck sts only, decreasing 1 st at both ends of every k row until there remain 20 sts 20 sts 22 sts 22 sts 24 sts 24 sts 26 sts 26 sts

Dec 1 st at both ends of next p row. On next row bind off very loosely the remaining 18 sts 18 sts 20 sts 20 sts 22 sts 22 sts 24 sts 24 sts (This completes back neck facing.)

For front neck facing, with double yarn and No. 9 needles, cast on loosely 18 sts 18 sts 20 sts 20 sts 22 sts 22 sts 24 sts 24 sts

P 1 row, increasing 1 st at both ends. Work in stockinette st, increasing 1 st at both ends of each k row until there are 24 sts 24 sts 26 sts 26 sts 28 sts 28 sts 30 sts 30 sts

On next k row, work across sts of left shoulder. There are now on needle 36 sts 38 sts 41 sts 43 sts 46 sts 47 sts 49 sts 50 sts

Following row: Purl and continue across sts of right shoulder. There are on needle 48 sts 52 sts 56 sts 60 sts 64 sts 66 sts 68 sts 70 sts

Work straight for 5½" 6" 6½" 7" 7½" 8" 8" 8½"

Cast on at the end of each of the next 2 rows 4 sts 4 sts 4 sts 4 sts 4 sts 5 sts 6 sts 7 sts

There are now on needle 56 sts 60 sts 64 sts 68 sts 72 sts 76 sts 80 sts 84 sts

Work until piece measures, from cast-on sts of underarm, 8½" 9½" 10" 11" 11½" 12" 12" 12"

Break off 1 strand of yarn. Change to No. 4 needles and k 1 row with single strand, increasing evenly across row to 80 sts 84 sts 88 sts 92 sts 100 sts 104 sts 112 sts 116 sts

Work in ribbing to correspond with Back. Bind off loosely in ribbing.

SLEEVES . . . With right side toward you, using No. 9 needles and double yarn, pick up along armhole edge 46 sts 48 sts 52 sts 54 sts 56 sts 60 sts 62 sts 64 sts

Work in stockinette st for 4 inches. Dec 1 st at both ends of next row and every 8th row thereafter until there remain 34 sts 36 sts 38 sts 40 sts 42 sts 44 sts 44 sts 44 sts

Work straight until sleeve measures in all 13½" 14" 14½" 15½" 16" 17" 18" 19"

Break off 1 strand of yarn. Change to No. 4 needles and k 1 row with single strand, increasing evenly across row to 40 sts 44 sts 44 sts 48 sts 52 sts 52 sts 56 sts 56 sts

Work tightly in ribbing of k 2, p 2 for 3½" 4" 4½" 4½" 5" 5" 5" 5"

Bind off loosely in ribbing.

Block to measurements given. Sew underarm and sleeve seams with one continuous seam. Turn in front and back neck facings and whip down loosely on wrong side.

MATERIALS:

CHADWICK'S RED HEART KNITTING WORSTED (1 oz. balls or 2 oz. skeins).

SIZE 38—19 oz. SIZE 40—20 oz. SIZE 42—22 oz. SIZE 44—23 oz.

CLARK'S O.N.T. KNITTING PINS, 1 pair No. 3.

A 29-inch circular knitting needle No. 6 (4¼ mm. size).

MEASUREMENTS FOR BLOCKING:

Sizes	38	40	42	44
Chest:	38	40	42	44
Shoulder to lower edge:	25"	26"	26"	27"
Underarm to lower edge:	16"	16"	16"	16"
Sleeve seam:	21"	21"	21"	21"
Across sleeve at upperarm:	14"	15"	15"	16½"

GAUGE: 5 sts make 1 inch; 7 rows make 1 inch.

Sizes	38	40	42	44
-------	----	----	----	----

Starting at neck edge, with circular needle, cast on 52 sts. Do not join, but work back and forth as follows: **1st row:** P 5, k 2, p 6, (k 2, p 4) 4 times; k 2, p 6, k 2, p 5. **2nd row:** K 1 st for Left Front; (inc in next st, insert a marker on needle and inc in next st) for seam; k 2, p 2, k 2 for Left Sleeve; (inc in next st, insert a marker and inc in next st) for 2nd seam; k 2, (p 2, k 4) 4 times; p 2, k 2 for Back; (inc in next st, insert a marker on needle and inc in next st) for 3rd seam; k 2, p 2, k 2 for Right Sleeve; inc in each of next 2 sts (marker between) for 4th seam; k last st for Right Front (60 sts). **3rd row:** P 7, k 2, p 8, (k 2, p 4) 4 times; k 2, p 8, k 2, p 7—*always slip the marker from left- to right-hand needle.* **4th row:** Inc in 1st st, k 1, inc in each of next 2 sts (slip marker between), k 3, p 2, k 3, inc in next 2 sts, k 3, (p 2, k 4) 4 times; p 2, k 3, inc in next 2 sts, k 3, p 2, k 3, inc in next 2 sts, k 1, inc in last st (70 sts). **5th row:** P 10, k 2, p 10, (k 2, p 4) 4 times; (k 2, p 10) twice. **6th row:** Inc

1, k 3, inc 2, k 4, p 2, k 4, inc 2, (k 4, p 2) 5 times; k 4, inc 2, k 4, p 2, k 4, inc 2, k 3, inc 1 (80 sts). **7th row:** K 1, p 4, k 1, p 2, k 1, p 4, k 2, p 4, k 1, p 2, k 1, (p 4, k 2) 5 times; p 4, k 1, p 2, k 1, p 4, k 2, p 4, k 1, p 2, k 1, p 4, k 1.

8th row: Inc 1, k 4, p 1, inc 2, p 1, k 4, p 2, k 4, p 1, inc 2, p 1, (k 4, p 2) 5 times; k 4, p 1, inc 2, p 1, k 4, p 2, k 4, p 1, inc 2, p 1, k 4, inc 1 (90 sts). **9th row:** K 2, p 4, k 2, p 2, (k 2, p 4) twice; k 2, p 2, k 2, (p 4, k 2) 6 times; p 2, (k 2, p 4) twice; k 2, p 2, k 2, p 4, k 2. **10th row:** Inc 1, p 1, k 4, p 2, inc 2, (p 2, k 4) twice; p 2, inc 2, (p 2, k 4) 6 times; p 2, inc 2, (p 2, k 4) twice; p 2, inc 2, p 2, k 4, p 1, inc 1, cast on 4 sts (104 sts). **11th row:** K 1, * p 4, k 2. Repeat from * across ending with p 1. Cast on 4 sts (108 sts). **12th row:** P 1, (k 4, p 2) twice; k 1, inc 2, k 1, p 2, (k 4, p 2) twice; k 1, inc 2, k 1, (p 2, k 4) 6 times; p 2, k 1, inc 2, k 1, (p 2, k 4) twice; p 2, k 1, inc 2, k 1, (p 2, k 4) twice; p 1.

For front of neck cast on
12 sts 12 sts 18 sts 18 sts

Join and work around on
128 sts 128 sts 134 sts 134 sts
as follows: **13th rnd:** P 1, (k 4, p 2) twice; k 6, (p 2, k 4) twice; p 2, k 6, (p 2, k 4) 6 times; p 2, k 6, (p 2, k 4) twice; p 2, k 6, then p 2, k 4 alternately to end of rnd. **14th rnd:** Work in pattern around, increasing before and after each marker as before (8 increases in rnd). There are on needle
136 sts 136 sts 142 sts 142 sts

15th rnd: Work around in pattern (no increases). *Always knit the stitch before and the stitch after each of the 4 markers on all odd rnds.* Continue in this manner, increasing 8 sts on every alternate rnd,

and working all increased sts in k 4, p 2 ribbing until there are

336 sts 360 sts 366 sts 390 sts

K 1 rnd after last inc rnd. **Next rnd:** Knit around to marker at 2nd seam (end of Left Sleeve). Take off the sts of Back, Right Sleeve and Front on stitch holders, to be worked later. Work back and forth in ribbed pattern for 3 inches for Left Sleeve on remaining

72 sts 78 sts 78 sts 84 sts

Dec 1 st at both ends of sleeve on next row and every 1½ inches thereafter until there remain

58 sts 62 sts 62 sts 64 sts

Work straight until sleeve measures 17 inches from where work was divided, ending on wrong side. Change to No. 3 needles and knit 1 row decreasing evenly across to

50 sts 54 sts 58 sts 62 sts

Work in ribbing of k 1, p 1 for 4 inches. Bind off loosely in ribbing. Pick up sts of Right Sleeve, join yarn and work to correspond with Left Sleeve.

Pick up sts of Back, join yarn and work across those

96 sts 102 sts 102 sts 108 sts

Pick up remaining sts (Front) and continue working across those

96 sts 102 sts 108 sts 114 sts

Join and work around in pattern for 12 inches over

192 sts 204 sts 210 sts 222 sts

Next rnd: Divide sts for Front and Back. With No. 3 needles, work on Back sts only and knit 1 row. Now work back and forth in ribbing of k 1, p 1 for 4 inches. Attach yarn to sts of Front, knit 1 row and work ribbing to correspond.

FRONT NECKBAND: With right side facing, using No. 3 needles, pick up from center top of left shoulder to center top of right shoulder

57 sts 57 sts 61 sts 61 sts

Work in ribbing of k 1, p 1 for 6 rows. Bind off loosely in ribbing.

BACK NECKBAND: Pick up 41 sts from center top of right shoulder to center top of left shoulder and work to correspond with Front Neckband.

Sew sleeve seams and seams in ribbing at neckline and lower edge.

CHADWICK'S BOOKS FOR YOUR KNITTING LIBRARY

No. 165—Afghans

No. 172—Knit for Defense

No. 174—Socks and Mittens

No. 178—Woolies for Babies

No. 187—Teen Age Fashions

No. 189—Women's Sweaters

Top Flighters No. 388

CONTINUED FROM PAGE 17

Work straight until piece measures, from 1st row of armhole shaping
7½" 8" 8" 8½" 9" 9½" 10" 10"

Bind off at beginning of next row
4 sts 5 sts 6 sts 5 sts 6 sts 7 sts 6 sts 6 sts

Bind off every other row at armhole edge twice
4 sts 4 sts 4 sts 5 sts 5 sts 5 sts 6 sts 6 sts

Attach yarn where sts were divided for neck shaping, and work other side to correspond.

BACK NECKBAND . . . With right side facing, using No. 3 needles, pick up across back of neck
37 sts 39 sts 41 sts 43 sts 45 sts 47 sts 49 sts

Work in ribbing of k 1, p 1 for ¾ inch. Bind off loosely in ribbing

FRONT NECKBAND (Round Neck) . . . With right side facing, using No. 3 needles, pick up around front of neck

65 sts 65 sts 65 sts 71 sts 71 sts 71 sts 75 sts 81 sts 81 sts

Work as for Back Neckband.

FRONT NECKBAND (V Neck) . . . With right side facing, using No. 3 needles, pick up from left shoulder to center front

47 sts 49 sts 49 sts 53 sts 57 sts 61 sts 65 sts 65 sts

Insert a marker on the needle, then pick up the same number of sts from center front to right shoulder. There are on needle

94 sts 98 sts 98 sts 106 sts 114 sts 122 sts 130 sts 130 sts

1st row: * P 1, k 1. Repeat from * to marker, slip the marker, then starting with p 1, work in ribbing as before to end of row. **2nd row:** * K 1, p 1. Repeat from * to 2 sts before marker, then sl 1, k 1, p.s.o., slip the marker, k 2 tog, and work in ribbing to end of row. Repeat these 2 rows until ribbing measures ¾ inch. Bind off loosely in ribbing.

ARMBANDS . . . Sew shoulder seams. With right side facing, using No. 3 needles, pick up around armhole edge

112 sts 120 sts 124 sts 132 sts 140 sts 148 sts 156 sts 160 sts

Work as for back neck band.

Block to measurements given. Sew side seams and seams in neckband.

Double or Nothing No. 387

CONTINUED FROM PAGE 19

2nd row: Knit
* k 2 tog, p 1. Repeat from * across. Repeat these 2 rows for pattern.

Continue to work to correspond with Left Front, reversing shaping.

SLEEVES . . . Starting at bottom with No. 3 needles, cast on
41 sts 43 sts 45 sts 47 sts 49 sts 51 sts 53 sts 55 sts

Work in ribbing as on Back for
3" 3" 3½" 3½" 4" 4" 4½" 4½"

Change to No. 5 needles and work in pattern as on Back for 2 inches. Inc 1 st at both ends of next row and every 8th row thereafter until there are

63 sts 67 sts 71 sts 75 sts 79 sts 83 sts 87 sts 91 sts

Work straight until sleeve measures in all
17" 18" 19" 20" 21" 22" 22" 22"

To shape top, bind off 2 sts at the beginning of each row

8 8 10 12 14 14 16 18

times times times times times times times times

Bind off 4 sts at beginning of each row until there remain

23 sts 27 sts 27 sts 27 sts 27 sts 31 sts 31 sts 35 sts

Bind off.

NECKBAND . . . Sew shoulder seams. With right side facing, using No. 3 needles, pick up around neck edge

81 sts 85 sts 87 sts 89 sts 91 sts 95 sts 97 sts 99 sts

Work in ribbing of k 1, p 1 for 4 rows. Dec 1 st at both ends of next

3 rows 3 rows 3 rows 4 rows 4 rows 5 rows 5 rows 5 rows

Bind off 3 sts at the beginning of the next 2 rows. Bind off loosely in ribbing.

BUTTONHOLE BAND . . . With No. 3 needles cast on 6 sts. **1st row:** K 2, p 2, k 2. **2nd row:** K across. Repeat these 2 rows alternately, making a buttonhole when piece measures

1½" 1" 1" ¾" ¾" ¾" 1½" 1½" ¾" ¾"

—to make a buttonhole, k 2 sts, bind off 2 sts and finish row. On following row cast on 2 sts to replace those bound off.

Buttonholes are repeated thereafter every
2½" 2½" 2½" 2½" 2½" 2½" 2½" 2½"

(measure down center of piece) until there are in all

7 7 8 8 8 8 9 9

buttonholes. Work 2 rows. Bind off.

Block pieces to measurements given. Sew shoulder, side and sleeve seams. Sew buttonhole band underneath border of left front, making sure buttonhole band is completely covered. Press with hot iron through damp cloth. Set in sleeves. Sew on buttons.

CHADWICK'S RED HEART WOOLS

MEN'S SWEATERS

at Work and Play



STANDBY No. 392 . . . See page 22

PRICE 10 CENTS

CHADWICK'S
RED HEART



WOOLS