

SIGNAL SUPPLY CATALOG · STOCK LIST OF ALL ITEMS

Class 9: Pigeon Equipment

Subclass 9—Pigeon Equipment

9A138 AVIARY MC-338: p/o Pigeon Loft PG-46-A. NX ea. NOTE: Void; obsolete.	9A713C CAGE: wire; pigeon; 75 bird; 48 x 29 x 18". NX ea. NOTE: Void; obsolete.	9A850-72 CONTAINER PG-72: 4 bird airplane container; w/ parachute equip. X ea. NOTE: Void; obsolete.
9A217 BAG PG-17. NX ea. NOTE: Void; obsolete.	9A725 CAGE PG-50: (collapsible; capable of transporting any number of pigeons up to 10; for training purposes; 36" lg x 14" wd x 12" h; wt 15 lb; SC-D-5185); 31 lb, 2.5 cu ft. NX ea.	9A851 CONTAINER PG-51: pigeon; 4 bird; transportation; spec 72-85; 25.4 lb, 2.10 cu ft. NX ea. NOTE: Void; obsolete; use 9A852-104.
9A315B BAND PG-15: light blue; leg; marking; celluloid; Illinois Supply Co "Spiralet," or equal. X ea.	9A736 CAGE MC-336: observation and retrieving; p/o Pigeon Loft PG-46-A. NX ea. NOTE: Void; obsolete.	9A851.1 CONTAINER PG-51: pigeon; 4 bird; transportation except w/ pyroline end doors; spec 72-85; p/o Pigeon Equipment PG-60; 14 lb, 1.5 cu ft. NX ea. NOTE: Void; obsolete; use 9A852-104.
9A315BK BAND PG-15: black; leg; marking; celluloid; Illinois Supply Co "Spiralet," or equal. X ea.	9A739 CAN PG-39: (pigeon feed; carrying; tinned; moisture proof; capacity approx ½ liter); 9 lb, 1.5 cu ft. NX ea. NOTE: Void; obsolete.	9A851.1 DOOR: pyroline; spare for container PG-51. X ea.
9A315DB BAND PG-15: dark blue; leg; marking; celluloid; Illinois Supply Co "Spiralet," or equal. X ea.	9A739.1 CAN: black sheet iron; round; 17" dia x 9" d w/ cover. NX ea.	9A852-69 CONTAINER PG-69/CB: (wire frame, collapsible, 13½" x 6½" x 6½", collapsed 1½" ht; wt 2 lbs 6 oz; olive drab shelter tent sewn to individual wire frames; harness, and cotton tape for fastening to Container PG-78/CB and PG-76/CB; Andrew B. Hendryx Co model C-2). NX ea. NOTE: Void; obsolete; use 9A837.
9A315G BAND PG-15: green; leg; marking; celluloid; Illinois Supply Co "Spiralet," or equal. X ea.	9A743 CLAMP: nest box; dwg SC-D-8823, item 5; 3 sides; (lusterless white enamel sprayed steel; "U" shaped; overall 3" lg x 1" w/ x 13/16" h x 1/16" thk, steel). NX ea.	9A852-70 CONTAINER PG-70/CB: (plywood ¼" x 3 ply x ½" mesh wire floor, compartment on top for accessories, w/ riveted web handle 13½" lg, 7½" w, 9½" ht; sliding door down-extended in end; net wt 5 lb, 4 oz; for 2 bird transportation; accessories include: Feed and water containers; Map overlay; Message book and holders; pencils; Andrew B. Hendryx Co model W-2). NX ea. NOTE: Void; obsolete; use 9A857-103.
9A315P BAND PG-15: pink; leg; marking; celluloid; Illinois Supply Co "Spiralet," or equal. X ea.	9A743.1 CLAMP: partition; dwg SCD-8823, item 4; (lusterless white enamel sprayed steel; w/ "U" shaped pieces welded together back to back; overall of large "U" 2-17/32" lg x 11" w x 1/8" thk steel; smaller "U" 13/16" lg x 1" w x 1" h x 1/8" thk, steel). NX ea.	9A852-73 CONTAINER PG-73/CB: (collapsible cylindrical wire frame w/ cir wire mesh door in mesh bottom to house 4 birds; wp bleached sheeting side jacket w/ nylon shroud line laced to frame; set up 13" diam x 6½" h; collapsed 1½" h; 2 lb 12 oz, pkd 4 lb; Hendryx Model #C-4). NX ea. NOTE: Void; procured, stored and issued as part of 9A1845-100.
9A315R BAND PG-15: red; leg; marking; celluloid; Illinois Supply Co "Spiralet," or equal. X ea.	9A743.2 CLAMP: roof section; dwg SC-D-8823, item 1; (lusterless white enamel sprayed steel; "U" shaped overall 2-11/16" lg x 1½" w x 2¾" d x ¼" thk steel; w/ 2 holes 13/16" for #16-32 thd, 2¾" lg; wing bolt). NX ea.	9A852-76 CONTAINER PG-76/CB: (cylindrical wire mesh frame w/ cir door in top, wire mesh bottom; wp bleached sheeting side jacket laced to bottom w/ nylon shroud line; side set up 17" diam x 6½" h, collapsed 1" h; 4 lb; pkd 5 lb; Hendryx Model #C-8). NX ea. NOTE: Void; procured, stored and issued as part of 9A1845-101.
9A315Y BAND PG-15: yellow; leg; marking; celluloid; Illinois Supply Co "Spiralet," or equal. X ea.	9A744 CAPTURE SEED: 99% pure; US Army spec 24-17-E; (unofficial; packed in 100 lb quantity). X lb.	9A852-102 CONTAINER PG-102/CB: Sig C Spec #72-96; (light, plywood frame, 2 bird cap cntr w/ wire mesh floor separated from hinged wooden bottom and w/ hinged top; compartment for accessories; removable metal tray for feed and water; dimen 13½" lg x 7½" wd x 9" h; wt 6 lb, pkd 7 lb, volume 0.620 cu ft; p/o Army-Navy Pigeon Equipment PG-103/CB); 1.5 lb, 0.05 cu ft. NX ea.
9A316 BAND PG-16: spec 71-589; leg; aluminum; w/ special markings; not stocked at present; 0.07 lb; 0.002 cu ft. X pr.	9A744.1 FLAX SEED: 99% pure; US #1; (US Army spec 24-17-B; packed in 100 lb. quantity). X lb.	9A852-104 CONTAINER PG-104/CB: pigeon; portable; capacity 4 birds; consists of plywood case w/ carrying handle; galvanized wire mesh floors w/ removable drawer to facilitate cleaning; hinged top and bottom, locked w/ snap hasps; provided w/ accessory carrying compartment; size 13½" lg x 7½" w x 16½" high; p/o Pigeon Equipment PG-105/CB. NX ea.
9A405.2 BASKET PG-5: except without ST-10. NX ea. NOTE: Void; obsolete.	9A745 CAPSULES: Vitamin; Multivitamin; contain the following ingredients per 100,000 capsules: Vitamin A Concentrate 200,000 unit, 3.1 lbs; Vitamin D Concentrate, 0.125 lbs; Vitamin B ₁ Synthetic (Thiamin Chloride), 0.225 lbs; Riboflavin, 0.2275 lbs; Ascorbic Acid, 8,438 lbs; Nicotinamide, 2.25 lbs; Cottonseed Oil, 19,067 lbs; Beeswax White, 1,437 lbs. X ea.	9A856-107 CONTAINER PG-107/PB: NOTE: Stock number superseded, same as 9A837.
9A408 BASKET PG-8: 4 bird; triangular compartments. NX ea. NOTE: Void; obsolete; use 9A852-104.	9A746 CASE PG-18: metal; for message book; pencil and message holders. NX ea. NOTE: Void; obsolete.	9A875 CORN: flint. X ea. NOTE: Void; obsolete.
9A412 BASKET PG-12: 80 bird; rigid; shipping; 56 blue; 8.5 cu ft. NX ea. NOTE: Void; obsolete; use 9A939.	9A747 CASE: portable pigeon carrier; (metal w/ carrying handle, 2 end doors, 1 side door and 1 door at bottom of trap arrangement; 4 pigeon size, 20½" high x 18" lg x 4" w). NX ea. NOTE: Void; obsolete.	9A875.1 CORN: Argentine; flint; US #1; US Army spec 24-17-B; packed in 100 lb quantity. X lb.
9A420 BEANS: tick; (packed in 100 lb quantity). X lb.	9A747.1 FLAX SEED: 99% pure; US #1; (US Army spec 24-17-E; packed in 100 lb. quantity). X lb.	9A876 CORN: King Philip; packed in 100 lb quantity. X ea.
9A425-62 BLOWER PG-62: (powder, #8, tin spout, dandy, or equal). X ea. NOTE: Void; obsolete.	9A755 CAPSULES: Vitamin; Multivitamin; contain the following ingredients per 100,000 capsules: Vitamin A Concentrate 200,000 unit, 3.1 lbs; Vitamin D Concentrate, 0.125 lbs; Vitamin B ₁ Synthetic (Thiamin Chloride), 0.225 lbs; Riboflavin, 0.2275 lbs; Ascorbic Acid, 8,438 lbs; Nicotinamide, 2.25 lbs; Cottonseed Oil, 19,067 lbs; Beeswax White, 1,437 lbs. X ea.	9A876.1 CORN: American; small grain; US #1; (US Army spec 24-17-B; packed in 100 lb quantity). X lb.
9A425-62.1 BLOWER: powder; Hudson #664 (or equal) tin spout. X ea. NOTE: Void; obsolete.	9A756 CASE: portable pigeon carrier; (metal w/ carrying handle, 2 end doors, 1 side door and 1 door at bottom of trap arrangement; 4 pigeon size, 20½" high x 18" lg x 4" w). NX ea. NOTE: Same as 9A856-107.	9A881 COVER PG-31: basket; light oiled canvas, equipped w/ draw string; 2½ x 2½ x 5 ft. NX ea. NOTE: Void; obsolete.
9A426A BLOWGUN: disinfectant; 1 qt capacity; (E C Brown Co #26-A); 2.7 lb, 0.11 cu ft. NX ea. NOTE: Void; obsolete; use 9A575.	9A856-64 CONTAINER PG-64: single bird airplane cntr; cardboard tube to protect pigeon when thrown out of airplane. X ea. NOTE: Void; obsolete.	9A881.1 COVER PG-49: Sig C Dwg #SC-D-5186; (pigeon transportation crate capable of transporting any number of pigeons up to 20 for any distance for universal purposes in pigeon service; has hinged door on front side and smaller door leading to water compartment on rear side;
9A529 BOWL PG-29: porcelain nesting; 7½" dia, 1½" d; 2 lb, 0.12 cu ft. NX ea. NOTE: Void; obsolete; use 9A575.	9A856-65 CONTAINER PG-65: 15 bird container; light wooden box to protect pigeons when thrown out of airplane; box opens automatically in air. X ea. NOTE: Void; obsolete.	9A882 CORN: Argentine; flint; US #1; US Army spec 24-17-B; packed in 100 lb quantity. X lb.
9A529.1 BOWL: pigeon nest; earthen ware; unglazed; 8½" dia. X ea. NOTE: Void; obsolete; use 9A575.	9A856-66 CONTAINER PG-66: light container used to deliver 15 birds to ground intact by means of parachute. X ea. NOTE: Void; obsolete.	9A882.1 CORN: American; small grain; US #1; (US Army spec 24-17-B; packed in 100 lb quantity). X lb.
9A575 BOWL PG-75: pigeon; pressed wood pulp; base 10½" in dia x top 7¾" in dia and 2½" d; used as a nesting place for pigeons; 3 lb, 0.2 cu ft. NX ea.	9A856-71 CONTAINER PG-71: 4 bird airplane container; similar to PG-51 but smaller and of light construction w/ receptacle in top to hold parachute. X ea. NOTE: Void; obsolete.	9A883 COVER PG-31: basket; light oiled canvas, equipped w/ draw string; 2½ x 2½ x 5 ft. NX ea. NOTE: Void; obsolete.
9A585 BOX: grit; 5 sides; dwg SC-D-8823, item 9; (lusterless white enamel, sprayed plywood, 9" lg x 3½" w x 2" h x 1/8" thk; wood ID 8½" lg x 2¾" w x 1½" d). NX ea.	9A856-72 CONTAINER PG-72: 4 bird airplane container; w/ parachute equip. X ea. NOTE: Void; obsolete.	9A883.1 CRATE PG-49: Sig C Dwg #SC-D-5186; (pigeon transportation crate capable of transporting any number of pigeons up to 20 for any distance for universal purposes in pigeon service; has hinged door on front side and smaller door leading to water compartment on rear side;
9A603 BRACE: landing board; dwg SC-D-8823, item 7; (wood overall lg approx 23¾" w x 2" h x ¾" thk, w/ a dowel ¾" dia x 1" lg; coated a lusterless olive drab). X ea.	9A856-73 CONTAINER PG-73: 4 bird airplane container; w/ parachute equip. X ea. NOTE: Void; obsolete.	9A884 CORN: Argentine; flint; US #1; US Army spec 24-17-B; packed in 100 lb quantity. X lb.
9A636 BRUSH PG-36: loft; counter duster; Fed spec H-B-201; part of Tool Equipment TE-46; 1.3 lb, 0.25 cu ft. NX ea. NOTE: Same as 6Z1429.	9A856-74 CONTAINER PG-74: 4 bird airplane container; similar to PG-51 but smaller and of light construction w/ receptacle in top to hold parachute. X ea. NOTE: Void; obsolete.	9A884.1 CORN: American; small grain; US #1; (US Army spec 24-17-B; packed in 100 lb quantity). X lb.
9A705 BUCKWHEAT: US Army spec 24-17-B; unofficial; packed in 100 lb quantity. X lb.	9A856-75 CONTAINER PG-75: 4 bird airplane container; similar to PG-51 but smaller and of light construction w/ receptacle in top to hold parachute. X ea. NOTE: Void; obsolete.	9A885 CORN: King Philip; packed in 100 lb quantity. X ea.
9A713 CAGE PG-13: wire; rat proof; 34 x 24 x 17". NX ea. NOTE: Void; obsolete.	9A856-76 CONTAINER PG-76: 4 bird airplane container; similar to PG-51 but smaller and of light construction w/ receptacle in top to hold parachute. X ea. NOTE: Void; obsolete.	9A885.1 CORN: Argentine; flint; US #1; US Army spec 24-17-B; packed in 100 lb quantity. X lb.

- has 2 carrying handles; frame is covered w/ #2 wire mesh w/ heavy canvas floor; wt 25 lb; 44" lg x 24" wd x 12" h). NX ea.
- 9A941 CUP:** drinking; GI; $\frac{1}{2}$ pt; w/ hooks; dwg SC-D-7678-A. NX ea.
- 9A961 CUP G-61:** 12 oz size; Montgomery Ward # Co Cat #86A1701, or equal; 1.0 lb, 0.04 cu ft. NX ea.
NOTE: Void; obsolete; use 9A941.
- 9A1140 EGG PG-40:** nest; white glass; Illinois Supply Co "Pigeon Nest Egg," or equal; 0.2 lb, 0.02 cu ft. X ea.
- 9A1142 END SECTION MC-332:** Sig C Spec 72-43; (w/ accessories for Sig C Loft PG-46-A, covered by Sig C Dwg #SC-D-5170B). NX ea.
NOTE: Void; obsolete; use 9A1152.
- 9A1152 END SECTION MC-362:** (similar to Sig C End Section MC-332 except that it has perches in place of tool compartments. NX ea.
- 9A1152Z END SECTION:** NX ea.
NOTE: Void; insufficient requirements.
- 9A1219.2 FEED:** pigeon; mixture consists of: 25% Corn, American, small grain, US #1; 10% Kaffir, US #1; 25% Peas, Canada or First and Best, US #1; 5% Seed, Millet, 99% pure, unofficial; 20% Vetch, common, unofficial; 15% Wheat, Hard Red or Durum, US #1; US Army spec 24-17-B; packed in 100 lb quantity. X lb.
- 9A1219.4 FEED:** pigeon; mixture consists of: 25% Corn, American, small grain, US #1; 25% Peas, Canada or First and Best, US #1; 30% Peas, Maple, unofficial; (New Zealand or Tasmanian grown); 20% Vetch, common, unofficial; per US Army spec 24-17-B; packed in 100 lb quantity. X lb.
- 9A1219.4-1 FEED:** pigeon; mixture consists of: 8-1/3% Seed, Canary, 99% pure, unofficial; 8-1/3% Seed, Flax, 99% pure, US #1; 8-1/3% Seed, Hemp, sterilized 99% pure, unofficial; (Purgrain Process or equal); 8-1/3% Seed, Millet, 99% pure, unofficial; 68-2/3% Wheat, Hard Red or Durum, U S #1 per U S Army Spec 24-17-B; packed in 100 lb quantity. X lb.
- 9A1219.5 FEED:** pigeon; (mixture consists of: 3.5% buckwheat, unofficial; 25% corn, American, small grain, US #1; 5% kaffir, US #1; 2.5% oats, hulled, table grade, unofficial; 12.5% peas, Canada or First and Best, US #1; 12.5% peas, Maple, unofficial, New Zealand or Tasmanian grown; 5% rice, whole, extra fancy, US #1; 2.5% seed, canary, 99% pure, unofficial; 5% seed, hemp, sterilized, 99% pure, Purgrain Process or equal; 5% seed, millet, 99% pure, unofficial; 15% vetch, common, unofficial; 6.5% wheat, Hard Red or Durum, US #1; Spec 24-17-B; packed in 100 lb quantity). X lb.
- 9A1219.6 FEED:** pigeon; mixture consists of: 35% corn, American, small grain, U S #1; 5% oats, hulled, table grade, unofficial; 10% peas, Canada or First and Best, U S #1; 15% peas, Maple, unofficial, New Zealand or Tasmanian grown; 5% rice, whole, extra fancy, U S #1; 5% seed, hemp, sterilized, 99% pure, unofficial; (Purgrain process or equal); 15% vetch, common, unofficial; 10% wheat, hard red or durum, U S #1; U S Army spec 24-17-B; packed in 100 lb quantity. X lb.
- 9A1219.7 FEED:** pigeon; mixture consists of: 10% corn, American, small grain, U S #1; 5% oats, hulled, table grade, unofficial; 20% peas, Canada or First and Best, U S #1; 25% peas, Maple, unofficial; (New Zealand or Tasmanian grown); 5% rice, whole, extra fancy, U S #1; 5% seed, hemp, sterilized, 99% pure, unofficial; (Purgrain process or equal); 20% vetch, common, unofficial; 10% wheat, hard red or durum, U S #1; per U S Army spec 24-17-B; packed in 100 lb quantity. X lb.
- 9A1219.8 FEED:** pigeon; mixture consists of: 15% rice, whole, extra fancy, U S #1; 20% seed, canary, 99% pure, U S #1; 18% seed, flax, 99% pure, U S #1; 20% seed, hemp, sterilized, 99% pure, unofficial; (Purgrain process or equal); 20% seed, millet, 99% pure, unofficial; 10% seed, rape, large sweet, 99% pure, unofficial; per U S Army spec 24-17-B; packed in 100 lb quantity. X lb.
- 9A1236 FEEDER:** wall style grit and shell box; GI; 3 compartment. Illinois Supply Co #36. X ea.
NOTE: Void; obsolete.
- 9A1236A FEEDER:** shell and grit; Shemroske Bros. X ea.
- 9A1237 FOUNTAIN PG-37:** pigeon; earthenware pan 3" h; overhanging enamel cover; galvanized wire guard; 12" dia and 6" high; 15 lb, 1 cu ft. NX ea.
- 9A1237A FOUNTAIN:** drinking; 9 $\frac{1}{2}$ " dia; (white enamel; top, cage and tray). NX ea.
- 9A1237AA FOUNTAIN PG-37-A:** drinking; American type. NX ea.
- 9A1237B FOUNTAIN:** drinking; 11 $\frac{1}{4}$ " dia; (white enamel; top, cage and tray). NX ea.
- 9A1237C FOUNTAIN PG-37-C:** drinking; pigeon; GI; self-filling, double opening; 1 $\frac{1}{2}$ gal cap, w/ handle to facilitate carrying; Rosenbergs or equal. NX ea.
NOTE: For complete components see latest Parts Control List.
- 9A1243 FLOOR SECTION MC-333:** for Sig C Loft PG-46-A, covered by Sig C Dwg #SC-D-5171B. NX ea.
NOTE: For complete components see latest Parts Control List.
- 9A1243Z FLOOR SECTION:** NX ea.
NOTE: Void; insufficient requirements.
- 9A1321 GRIT:** health; pigeon; red; Phila Seed Co; "Purgrain," or equal. X lb.
- 9A1322 GRIT:** Foust "Health Grit," or Phila Seed Co "Purgrain," or equal; 1.2 lb, 0.04 cu ft. X lb.
- 9A1360 HEMP SEED:** sterilized; 99% pure; U S Army spec 24-17-B; (unofficial; Purgrain Process or equal; packed in 100 lb quantity). X lb.
- 9A1401 HOPPER:** feed or grit; 3 compartment; (GI; 8 x 8 x 5 $\frac{1}{4}$ " approx). NX ea.
- 9A1500 INK:** stamp pad; green, WP; (for re-inking stamp pad 9A1800). X bt.
- 9A1500.1 INK:** stamp pad; red, WP; (for re-inking stamp pad 9A1800.1). X bt.
- 9A1550 KAFFIR:** U S # 1; (Spec 24-17-B; packed in 100 lb quantity). X lb.
- 9A1574 LANDING BOARD MC-334:** for Sig C Loft PG-46-A, covered by Sig C Dwg #SC-D-5174B. NX ea.
NOTE: For complete components see latest Parts Control List.
- 9A1574Z VOID.**
- 9A1585 LENTILS:** Spec 24-17-B; (unofficial; packed in 100 lb quantity). X lb.
- 9A1601 LOFT:** pigeon, breeding, to house 120 pairs of birds. NX ea.
NOTE: Void; obsolete.
- 9A1645 LOFT PG-45:** (mobile; pigeon; 60 bird; 2 wheel trailer, similar to Auto Cruiser; 2,000 lb payload, 4,100 lb gross wt, capable of being towed at 45 mph, entire loft to be air and water tight); spec 72-34; 4075 lb, 1150 cu ft. NX ea.
- 9A1646 LOFT PG-46:** (portable pigeon). NX ea.
NOTE: Void; obsolete; use 9A1646A.
- 9A1646A PIGEON LOFT PG-46-A:** (portable, sectional; for housing 60 or more pigeons; may be enlarged by adding additional sect); 300.3 lb, 297.81 cu ft. NX ea.
NOTE: For complete components see latest Parts Control List.
- 9A1647 LOFT EXTENSION PG-47:** (permits extension of Loft PG-46 to increase its cap; any Loft Extension PG-47 can be added to PG-46; never standardized; u/w but not p/o PG-46). NX ea.
NOTE: Void; obsolete.
- 9A1648 LOFT PG-68/TB:** (collapsible housing for pigeon, transportable; for use in training and combat; 62 $\frac{1}{2}$ " x 37" x 53 $\frac{1}{2}$ "; approx wt 250 lbs, fits into $\frac{1}{4}$ ton trailer or 3 c can be fitted into $\frac{1}{2}$ ton truck for transport). NX ea.
- 9A1670 MILO:** U S #1; (Spec 24-17-B; packed in 100 lb quantity). X lb.
- 9A1714 MESSAGE HOLDER PG-14:** (Spec 72-8; leg, aluminum); 0.02 lb, 0.001 cu ft. NX ea.
NOTE: Void; obsolete; use 9A1767.
- 9A1752 MESSAGE HOLDER PG-52:** (Spec 72-39; red for Army; p/o Pigeon Equipment PG-60). NX ea.
NOTE: Void; obsolete; use 9A1767.
- 9A1753 MESSAGE HOLDER PG-53:** (Spec 72-39; white for Corps; p/o Pigeon Equipment PG-60). NX ea.
NOTE: Void; obsolete; use 9A1767.
- 9A1754 MESSAGE HOLDER PG-54:** (Spec 72-39; blue for Division; p/o Pigeon Equipment PG-60). NX ea.
NOTE: Void; obsolete; use 9A1767.
- 9A1765 MILLET SEED:** 99% pure; US Army Spec 24-17-B; (unofficial; packed in 100 lb quantity). X lb.
- 9A1767 MESSAGE HOLDER PG-57:** (pigeon; transparent cellulose acetate message container made in 2 sect which screw together; similar to Message Holders PG-52, PG-53 and PG-54, except colorless and the 2 ends are more round; includes leg attachment for attaching to bird's leg; overall dimen 13 $\frac{1}{2}$ " lg x 1 $\frac{1}{2}$ " dia; p/o PG-60; spec 72-44); 0.01 lb, 0.0001 cu ft. NX ea.
NOTE: For complete components see latest Parts Control List.
- 9A1775 NEST BOX MC-335:** assem for Sig C Loft PG-46-A, covered by Sig C Dwg #SC-D-5172B. NX ea.
NOTE: For complete components see latest Parts Control List.
- 9A1775Z NEST BOX:** NX ea.
NOTE: Void; insufficient requirements.
- 9A1787 OATS:** hulled, table grade; Spec 24-17-B; (unofficial; packed in 100 lb quantity). X lb.
- 9A1800 PAD:** stamp; green; #0; (2 $\frac{1}{4}$ x 8 $\frac{1}{4}$ "). X ea.
- 9A1800.1 PAD:** stamp; red; #0; (2 $\frac{1}{4}$ x 3 $\frac{1}{4}$ "). X ea.
- 9A1838 PAN PG-38:** (bath); 10 lb, 0.3 cu ft. NX ea.
- 9A1839 PENCIL:** NOTE: Stock number superseded, same as 6M1012.
- 9A1841 PAN PG-41:** (pigeon bath; approx 30" in dia w/ rolled rim). NX ea.
NOTE: Void; obsolete; use 9A1838.
- 9A1844-57 PARACHUTE PG-57:** (white duodecagon-shaped parachute 118" max wd 5 $\frac{1}{2}$ " diam hole in center; 12 seams of parachute meet to form eye through which webbing is looped; metal D-ring is attached to webbing; parachute used primarily in comb w/ automatic releasing device to land Pigeon Equipment PG-60 in Cage PG-50 in upright position on ground without damage; automatically disconnected at time of landing by means of releasing device so that equip is not dragged; u/w but not p/o Parachute Releasing Device PG-58; p/o Parachute Equipment PG-55 and PG-56). NX ea.
NOTE: Void; obsolete.
- 9A1844-74 PARACHUTE PG-74/CB:** (6 ft, handkerchief fabric sewn w/ nylon thd; baseball hemispherical, non-oscillating; individually pkd in wp paper entr w/ exposed rayon static cord and shroud lines; 2 lb, pkd 3 lb; Gen Tex Model #4-C). NX ea.
NOTE: Void; obsolete; use 9A1845-100.
- 9A1844-77 PARACHUTE PG-77/CB:** (9 ft, handkerchief fabric sewn w/ nylon thd; baseball hemispherical, non-oscillating; individually pkd in wp paper entr w/ exposed rayon static cord and shroud lines; 3 $\frac{1}{2}$ lb, pkd 5 lbs; Gen Tex Model #4-1). NX ea.
NOTE: Void; procured, stored and issued as part of 9A1845-101.
- 9A1845-55 PARACHUTE EQUIPMENT PG-55:** (apparatus containing necessary automatic equipment to drop Cage PG-50; includes Parachute PG-57 and Parachute Releasing Device PG-58; u/w but not p/o Cage PG-50). NX ea.
NOTE: Void; obsolete.
- 9A1845-56 PARACHUTE EQUIPMENT PG-56:** apparatus containing necessary automatic equipment to drop Pigeon Equipment PG-60; includes Parachute PG-57 and Parachute Releasing Device PG-58; (u/w but not p/o Pigeon Equipment PG-60). NX ea.
NOTE: Void; obsolete.
- 9A1845-100 PARACHUTE EQUIPMENT PG-100/CB:** (pigeon; collapsible cyl type; cap, 4 bird; wire frame ctr, 13" dia x 6 $\frac{1}{2}$ " ht; attached to 6 ft hemispherical baseball cotton parachute w/ a quick release clip); 10.4 lb, 0.55 cu ft. NX ea.
- 9A1845-101 PARACHUTE EQUIPMENT PG-101/CB:** (pigeon; collapsible cyl type; cap 8 bird; wire frame ctr, 17" dia x 6 $\frac{1}{2}$ " ht; attached to 9 ft hemispherical baseball cotton parachute w/ a quick release clip); 11.3 lb, .58 cu ft. NX ea.
- 9A1846 PARACHUTE RELEASING DEVICE PG-58:** (automatic; metal hook w/ spring attached; mtd in center of board 8" x 20" x 3 $\frac{1}{4}$ "; hook released from D-ring of parachute by action of spring when tension between the 2 is removed; board has cleats on ends of underside, 4 straps hold equip to be landed; board covered w/ canvas, canvas bag attached into which folded parachute is placed; releasing device used primarily to release automatically parachute from equip it has landed so that equip will not be dragged on ground; u/w but not p/o Parachute PG-57; p/o Parachute Equipment PG-55 and PG-56). NX ea.
NOTE: Void; obsolete.
- 9A1847 PARTITION MC-337:** w/ accessories for Sig C Loft PG-46-A, covered by Sig C Dwg #SC-D-5174B. NX ea.
NOTE: For complete components see latest Parts Control List.
- 9A1847Z PARTITION:** NX ea.
NOTE: Void; insufficient requirements.

9A1848 PEAS: Canada, U S #1; (Spec 24-17-B; packed in 100 lb quantity). X lb.	9A2000 SCOOP: grain; (tinned or galvanized steel; lg not including handle approx 7½", w approx 5¾"; over-all lg approx 11"). NX ea.	9A2215 TOBACCO STEMS. X lb.
9A1848.1 PEAS: maple; Spec 24-17-B; (unofficial; New Zealand or Tasmanian grown; packed in 100 lb quantity). X lb.	9A2020 SHAVINGS: cedar; 1.2 lb, 0.04 cu ft. X lb.	9A2224 TRAP PG-42. NX ea. NOTE: Void; obsolete.
9A1848.2 PEAS: white, first and best; U S #1; (Spec 24-17-B; packed in 100 lb quantity). X lb.	9A2034 SCRAPER PG-34: (triangular, 4½" cutting edge, approx 17" over-all; loft); 3.5 lb, 0.24 cu ft. NX ea. NOTE: Void; obsolete; use 9A2034A.	9A2226 TRAP PG-43. NX ea. NOTE: Void; obsolete.
9A1850 PIGEON: racing. X ea.	9A2034A SCRAPER PG-34-A: knife, 8" overall; (Federal Tel & Rad Spec. GGG-K-481-Type V; 4¼" metal blade; 3" w, stiff; non-inflammable composition or Cocobolo wood handle, 3¾" lg); 3.5 lb, 0.24 cu ft. NX ea. NOTE: Same as 6Q60701.	9A2231 TRAP MC-331: (comb bob and drop; p/o Pigeon Loft PG-46-A). NX ea.
9A1856 PIGEON EQUIPMENT PG-60: (complete unit of issue; for use by combat units); 16.3 lb, 1.90 cu ft. NX ea. NOTE: For complete components see latest Parts Control List.	9A2035 SIEVE PG-35: (14", copper, 1/16" mesh); 0.6 lb, 0.03 cu ft. NX ea.	9A2241 TRAP MC-371: (comb bob and drop, similar to MC-331 except improved design; p/o Pigeon Loft PG-46-A). NX ea.
9A1857-103 PIGEON EQUIPMENT PG-103/CB. NX ea. NOTE: For complete components see latest Parts Control List.	9A2035X SIEVE: round; copper side, 14" dia, 3¼" d, 1/32" mesh. NX ea.	9A2230 TRAY PG-20: (Spec 72-30; watering; 4¾ x 1½-x 2½"). NX ea. NOTE: Void; obsolete.
9A1857-105 PIGEON EQUIPMENT PG-105/CB: (complete unit of issue consists of: 1 Container PG-104/CB containing feed and water facilities; 24 Message Holder PG-67; 1 Message Book M-210-A; 1 Map Overlay Pad Form WD SC 181; 2 Pencil, black 2H; (#4)-SS-P-186). NX ea.	9A2036 SIEVE: round; 5 x 9½". NX ea.	9A2230A TRAY: watering; single compartment. NX ea.
9A1886-106 PIGEON VEST PG-106/CB: (shaped to form pigeon's body permitting head, neck, wing, tips, tail and feet to protrude made of a porous cabric and has strap for carrying pigeons on parachute jumper's chest; adjustable to any size pigeon). X ea.	9A2037 SIEVE: feed, 12" dia, fine mesh. NX ea.	9A2321 TRAY PG-21: (watering; 10-1/16 x 2-5/16 x 2¾"). NX ea. NOTE: Void; obsolete.
9A1901 RAPE SEED: large sweet 99% pure; Spec 24-17-B; (unofficial; packed in 100 lb quantity). X lb.	9A2040 SIDE SECTION MC-340: w/ accessories for Sig C Loft PG-46-A, covered by Sig C Dwg #SC-D-5169B. NX ea. NOTE: For complete components see latest Parts Control List.	9A2322 TRAY PG-22: (Spec 72-30; watering; 32 x 2½ x 2½"). NX ea. NOTE: Void; obsolete.
9A1940 RICE: whole, extra fancy, US #1 (Spec 24-17-B; packed in 100 lb quantity). X lb.	9A2040Z SIDE SECTION. NX ea. NOTE: Void; insufficient requirements.	9A2387 TROUGH: water; dwg SC-D-8829, item 10; (galvanized sheet iron; 23" lg x 3½" w x 3" d; ½" edge on top). NX ea.
9A1949 ROOF SECTION MC-339: w/ accessories for Sig C Loft PG-46-A, covered by Sig C Dwg #SC-D-5171B. NX ea. NOTE: For complete components see latest Parts Control List.	9A2045 SPRAYER: 1 qt cap; (for whitewashing pigeon loft). NX ea.	9A2600 VETCH: common; Spec 24-17-B; (unofficial; packed in 100 lb quantity). X lb.
9A1949Z ROOF SECTION. NX ea. NOTE: Void; insufficient requirements.	9A2046 STAMP SET: type MC-65; 1.1 lb, 0.02 cu ft. NX st. NOTE: Void; obsolete.	9A2720 WEDGE, clamp: maple wood; olive drab finish; wedges into landing board clamp to hold board in solid fashion; 3½" lg x 7½" thk; tapers from 1½" to ¼"; Wilcogay Dwg #5; Item #5; (p/o Sig C Loft PG-46-A). NX ea.
	9A2065 STRAP: roof; Wilcox-Gay dwg 99-2029; (20 gage steel; 12-18/16" x 7/8" w; 2 holes 7/16-¾" from ea end). NX ea.	9A2800 WHEAT: hard red or durum, US #1; (Spec 24-17-B; packed in 100 lb quantity). X lb.
	9A2095 STRIP: water proofing, dwg SC-D-8823, item 8; (maple; 5 ft 11¾" lg x 2¾" w x ½" thk, w/ groove 1⅝" w x ¼" d; 2 holes for #6 flat wood screws). X ea.	9A2830 WINDOW, loft: plastic; 22½" lg x 13½" wd x 13½" thk; Wilcogay Dwg #4, Item #10; (mts into Sig C Side Section MC-340 held in place by two 1½" x 3" steel pegs, 1 peg on ea side of window; p/o Sig C Side Section MC-340, u/w Sig C Loft PG-46-A). X ea.