

EXPIRATION: MARCH 1946



Stock No. 393195018

ROYAL ARMY MEDICAL SERVICE
**NORMAL HUMAN PLASMA,
DRIED**
B. P. C.

[DESSICATED & CITRATED SODIUM CITRATE SOLUTION]

[HUMAN PLASMA 400CC]

For intravenous administration after combining with 400cc Sterile distilled Pyrogen free water, included in the package.

Store in a cool, dry place. Do not use after expiration date ABOVE.

Manufactured Under Contract by

N. J. W. Medical Ltd., England

EXPIRATION: MARCH 1946



Stock No. 393195018

ROYAL ARMY MEDICAL SERVICE
**NORMAL HUMAN PLASMA,
DRIED**
B. P. C.

[DESSICATED & CITRATED SODIUM CITRATE SOLUTION]

[HUMAN PLASMA 400CC]

For intravenous administration after combining with 400cc Sterile distilled Pyrogen free water, included in the package.

Store in a cool, dry place. Do not use after expiration date ABOVE.

Manufactured Under Contract by

N. J. W. Medical Ltd., England

EXPIRATION: MARCH 1946



Stock No. 393195018

ROYAL ARMY MEDICAL SERVICE
**NORMAL HUMAN PLASMA,
DRIED**
B. P. C.

[DESSICATED & CITRATED SODIUM CITRATE SOLUTION]

[HUMAN PLASMA 400CC]

For intravenous administration after combining with 400cc Sterile distilled Pyrogen free water, included in the package.

Store in a cool, dry place. Do not use after expiration date ABOVE.

Manufactured Under Contract by

N. J. W. Medical Ltd., England

EXPIRATION: MARCH 1946



Stock No. 393195018

ROYAL ARMY MEDICAL SERVICE
**NORMAL HUMAN PLASMA,
DRIED**
B. P. C.

[DESSICATED & CITRATED SODIUM CITRATE SOLUTION]

[HUMAN PLASMA 400CC]

For intravenous administration after combining with 400cc Sterile distilled Pyrogen free water, included in the package.

Store in a cool, dry place. Do not use after expiration date ABOVE.

Manufactured Under Contract by

N. J. W. Medical Ltd., England