

MINERVA

Hand knits for Men in the Service



VOLUME 62

Price 25¢



"Keep quiet! This is the only way I can keep it from turning out to be a sweater."—JUDGE

PENSACOLA

No. 6201

SPANISH KNITTING WORSTED
RAGLAN CARDIGAN

Size 40


1 No. 3 Steel Circular Needle—29 inch
1 No. 4 Steel Circular Needle—29 inch
Scale: $6\frac{1}{2}$ sts. to 1 inch
8 rows to 1 inch

MINERVA SPANISH KNITTING
WORSTED 4 Skeins

or

7 Skeins Minerva Featherweight Knitting Worsted

Chart symbols explained on page 42.



The cardigan is worked in Stockinette St. on No. 4 needle with 11 inches at waist (including the 1 inch hem) and K. 2, P. 2 ribbing borders on sleeves (indicated on chart by dotted lines) worked on No. 3 needle. The Stockinette St. band on neck and front edge is sewn in place after knitting is completed.

Cast on 70 sts. and work back and forth on No. 4 circular needle as follows:

Row 1—K. 2, increase in next st. (left front), K. 1 (seam st.), increase in next st., K. 10, increase in next st. (left sleeve), K. 1 (seam st.), increase in next st., K. 34, increase in next st. (back), K. 1 (seam st.), increase in next st., K. 10, increase in next st. (right sleeve), K. 1 (seam st.), increase in next st., K. 2 (right front).

Row 2—P. back.

Row 3—K. 3, increase in next st., K. 1, increase in next st., K. 12, increase in next st., K. 1, increase in next st., K. 36, increase in next st., K. 1, increase in next st., K. 12, increase in next st., K. 1, increase in next st., K. 3.

Row 4—P. back.

Continue in this manner, increasing 1 st. each side of each of the 4 seam sts. every K. row, and at the same time, follow chart for neck shaping.

When raglan increases have been completed (454 sts. on needle), work over to 102 sts. of sleeve, (placing sts. of one sleeve, Back and Front on a st. holder) add the 2 seam sts. and work back and forth on circular needle following chart for sleeve. Work other sleeve in same manner. Work back and fronts on remaining 246 sts. by following chart. When work measures $8\frac{1}{4}$ inches from start, change to No. 3



circular needle and work for 10 inches. Now P. 1 row on right side of work for turn of hem, and continue to work in Stockinette St. for 1 inch.

Follow chart for Pocket. One inch from start, P. 1 row on right side of work for turn of hem. Make 2.

FRONT BORDER (no chart): With No. 4 circular needle, cast on 454 sts. and work back and forth in Stockinette St. for $\frac{1}{2}$ inch, ending on a K. row. Next row, P. 4, bind off 5 sts., * P. 18, bind off 5 sts.,

repeat from * 4 times more, P. across row. Next row, cast on 5 sts. over those bound off and work even for $\frac{1}{2}$ inch. P. 1 row on right side of work for turn of border. Work $\frac{1}{2}$ inch even, then work another row of buttonholes in same manner. Work $\frac{1}{2}$ inch even. Bind off.

Finishing, see page 42. Turn hem at bottom of cardigan and top of pockets and tack in place. Sew front border to top edge of fronts and neck, turn and hem. Sew pockets in place.

FENNIMORE

No. 6202
QUALITY KNITTING WORSTED
CREW NECK
SLEEVELESS SLIP-OVER
 Size 40

- 1 Pr. No. 7 Athena Nonflammable Needles—14 inch for ribbing
- 1 Pr. No. 8 Athena Nonflammable Needles—14 inch
- Scale: $4\frac{1}{2}$ sts. to 1 inch
 6 rows to 1 inch



MINERVA QUALITY KNITTING
 WORSTED . . . 5 Skeins

Chart symbols explained on page 42.

The slip-over is worked in Stockinette St. with borders (indicated on charts by dotted lines) worked in K. 2, P. 2 ribbing.

Follow charts for Front and Back. Do not bind off 11 sts. at each shoulder edge, but place them on st. holders.

Finishing, see page 42. Weave shoulder seams; then with No. 7 needles pick up 144 sts. around armhole and work in K. 2, P. 2 ribbing for $\frac{3}{4}$ inch. Sew side seams. Turn under hems at neck.



ECKHART

Illustrated on page 8

No. 6203
QUALITY KNITTING WORSTED
V NECK SLEEVELESS SLIP-OVER
 Size 40

- 1 Pr. No. 6 Athena Nonflammable Needles—14 inch for ribbing
- 1 Pr. No. 7 Athena Nonflammable Needles—14 inch
- Scale: $4\frac{1}{2}$ sts. to 1 inch
 10 rows to 1 inch
- 1 No. 6 Steel Circular Needle—24 inch

MINERVA QUALITY KNITTING
 WORSTED . . . 6 Skeins

Chart symbols explained on page 42.

The slip-over is worked in Garter St. with borders (indicated on charts by dotted lines) and $\frac{3}{4}$ inch bands around neck and armholes worked in K. 2, P. 2 ribbing.

Follow charts for Front and Back. Finishing, see page 42. With circular needle, pick up 132 sts. around neck and work in K. 2, P. 2 ribbing for $\frac{3}{4}$ inch. To miter V neck, see page 42. Pick up 144 sts. around armhole and work in K. 2, P. 2 ribbing for $\frac{3}{4}$ inch. Tape shoulder seams with matching seam binding.





ECKHART No. 6203
Shown on Opposite Page
Instructions on page 6

BARING

No. 6204
QUALITY KNITTING WORSTED
CAP

Medium Size


- 1 Pr. No. 5 Athena Noninflammable
Needles—14 inch
1 Pr. No. 6 Athena Noninflammable
Needles—14 inch
Scale: 5 sts. to 1 inch
7 rows to 1 inch

MINERVA QUALITY KNITTING
WORSTED 2 Skeins

No chart.

With No. 5 needles, cast on 10 sts. and work in Stockinette St. as follows: Increase 1 st. in each st. across row. P. back. Next row, increase 1 st. in first st., * K. 2, increase 1 st. in next st., slip a marker on needle, increase 1 st. in next st., repeat from * across row, ending K. 2, increase 1 st. in last st. P. back. Continue to increase in same manner (at the beginning and the end of row and before and after each of the markers) every K. row until there are 110 sts. on needle. When work measures 4 inches from start, change to No. 6 needles and work even for 2½ inches. Change to K. 1, P. 1 ribbing and work even for 4½ inches. Bind off.

Sew seam and draw top together.



ECKLEY

No. 6205

QUALITY KNITTING WORSTED SLIP-OVER

Size 40

1 No. 7 Steel Circular Needle—24 inch
for V neck ribbing

1 No. 7 Steel Circular Needle—16 inch
for round neck ribbing

1 No. 8 Steel Circular Needle—24 inch
Scale: 5 sts. to 1 inch
6 rows to 1 inch

MINERVA QUALITY KNITTING
WORSTED 9 Skeins

Chart symbols explained on page 42.

For V neck, follow instructions as written. For round neck, follow instructions as written, substituting instructions in italics.

The slip-over is worked in K. 4, P. 2 ribbing with borders (indicated on chart by dotted lines) worked in K. 1, P. 1 ribbing.

Cast on 58 sts. and work back and forth on No. 8 circular needle as follows:

Row 1—K. 1, increase in next st., slip a marker on needle, increase in next st., K. 1, P. 2, K. 4, P. 2, K. 1, increase in next st., slip a marker on needle, increase in next st., K. 1, * P. 2, K. 4, repeat from * 3 times more, P. 2, K. 1, increase in next st., slip a marker on needle, increase in next st., K. 1, P. 2, K. 4, P. 2, K. 1, increase in next st., slip a marker on needle, increase in next st., K. 1.


Row 2—P. 3, marker, P. 3, K. 2, P. 4, K. 2, P. 3, marker, P. 3, K. 2, * P. 4, K. 2, repeat from * 3 times more, P. 3, marker, P. 3, K. 2, P. 4, K. 2, P. 3, marker, P. 3.

Row 3—K. 2, increase in next st., marker, increase in next st., K. 2, P. 2, K. 4, P. 2, K. 2, increase in next st., marker, increase in next st., K. 2, P. 2, * K. 4, P. 2, repeat from * 3 times more, K. 2, increase in next st., marker, increase in next st., K. 2, P. 2, K. 4, P. 2, K. 2, increase in next st., marker, increase in next st., K. 2.

Row 4—P. 4, marker, (P. 4, K. 2) twice, P. 4, marker, * P. 4, K. 2, repeat from * 4 times more, P. 4, marker, (P. 4, K. 2) twice, P. 4, marker, P. 4.

Continue working in this manner (being careful to keep pattern even), increasing before and after markers every other row and at the same time following chart for neck shaping.

After completing neck shaping, (cast on 10 sts.) join sts. and work
(Continued on page 12)





NEWPORT

No. 6206

QUALITY KNITTING WORSTED CARDIGAN

Size 40

- 1 Pr. No. 7 Athena Noninflammable Needles—14 inch for ribbing
 - 1 Pr. No. 8 Athena Noninflammable Needles—14 inch
- Scale: $4\frac{1}{2}$ sts. to 1 inch
6 rows to 1 inch

MINERVA QUALITY KNITTING
WORSTED 8 Skeins

Chart symbols explained on page 42.

The cardigan is worked in Stockinette St. on No. 8 needles with K. 2, P. 2 ribbing borders (indicated on charts by dotted lines) at waist and at bottom of sleeves, worked on No. 7 needles.

Follow chart for Pocket Facing. Place the 18 sts. on a st. holder.

Follow chart for Left Front. Pocket opening is 18 sts. wide and 9 sts. from front edge. To work knit-in pocket, see page 42.

Work Right Front to correspond having decreases on opposite sides and omitting pocket opening.

Follow charts for Back and Sleeves.

Pick up 18 sts. at top of pocket opening and work as follows:


Row 1—P. 2, * K. 2, P. 2, repeat from * across row.

Row 2—K. 2, * P. 2, K. 2, repeat from * across row.

Work even for $\frac{3}{4}$ inch. Bind off. Finishing, see page 42. Sew shoul-


der and underarm seams. Pick up 26 sts. at back of neck and working in ribbing pattern (Row 1—K. 2, * P. 2, K. 2, repeat from * across row. Row 2—P. 2, * K. 2, P. 2, repeat from * across row), pick up 8 sts. on neck edge at the end of

each of the next 2 rows, and 7 sts. at the end of the next 4 rows. Work 4 rows even. Bind off all sts. Sew a 22 inch separating slide fastener in front opening. Tack pocket border in place. Tape shoulder seams with matching seam binding.



around needle. When raglan increases have been completed (348 sts. on needle), work across to 78 sts. of sleeve and working back and forth on circular needle, follow chart for sleeve. Join sts. of Front and Back and work around in K. 4, P. 2 ribbing being careful to keep pattern even.

Finishing, see page 42. With No. 7 circular needle pick up 130 (82) sts. around neck and work in K. 1, P. 1 ribbing for $\frac{3}{4}$ inch. To miter V neck, see page 42.



DORNER

No. 6207

SHETLAND FLOSS CREW NECK SLIP-OVER

Size 40

1 Pr. No. 1 Athena Noninflammable
Needles—14 inch for ribbing

1 Pr. No. 3 Athena Noninflammable
Needles—14 inch for pattern

Scale: $7\frac{1}{2}$ sts. to 1 inch

10 rows to 1 inch

MINERVA SHETLAND FLOSS

12 Balls

or

4 Skeins Minerva Spanish Knitting

Worsted

Chart symbols explained on page 42.

The slip-over is worked in pattern with borders (indicated on charts by dotted lines) worked in ribbing pattern.

RIBBING PATTERN: Multiple of 4 sts. plus 2.

Row 1—* K. 2, P. 2, repeat from * across row, ending K. 2.

Row 2—* P. 2, K. 2, repeat from * across row, ending P. 2.

Repeat these 2 rows for pattern.


PATTERN: Multiple of 6 sts. plus 2 for Front and Sleeves.

Row 1—* P. 2, K. 4, repeat from * across row, ending P. 2.


Row 2—* K. 2, P. 4, repeat from * across row, ending K. 2.

Repeat these 2 rows for pattern.

PATTERN: Multiple of 6 sts. plus 2 for Back.



"Whenever I think I've done enough knitting for a bit they go and call up another age-group."
—PUNCH



Row 1—K. 3, * P. 2, K. 4, repeat from * across row, ending P. 2, K. 3.

Row 2—P. 3, * K. 2, P. 4, repeat from * across row, ending K. 2, P. 3.

Repeat these 2 rows for pattern.

Follow charts for Front and Back. Do not bind off the 32 sts. of each shoulder, but place them on st. holders.

Follow chart for Sleeves.

Finishing, see page 42. Weave sts. of shoulders tog. Turn under hems at neck, and tack in place.



LANGDON

No. 6208

QUALITY KNITTING WORSTED SLIP-OVER

Size 40

- 1 Pr. No. 7 Athena Nonflammable Needles—14 inch for ribbing
- 1 Pr. No. 8 Athena Nonflammable Needles—14 inch
- Scale: $4\frac{1}{2}$ sts. to 1 inch
6 rows to 1 inch
- 1 No. 7 Steel Circular Needle—16 inch for neck ribbing

MINERVA QUALITY KNITTING
WORSTED . . . 8 Skeins



Chart symbols explained on page 42.

For round neck follow instructions as written. For turtle neck, follow instructions as written substituting instructions and numbers in italics.

The slip-over is worked in Stockinette St. with borders (indicated on charts by dotted lines) and ribbing at neck worked in K. 2, P. 2 ribbing.

Follow chart for Front. At underarm, place first and last 3 sts. on st. holders. Place 32 sts. of neck on st. holder and work 22 sts. of each shoulder as follows:

Continue to work in Stockinette St. (*Garter St.*) for 1 inch. Do not bind off these sts., but place them on a st. holder.



Follow chart for Back. At underarm place first and last 3 sts. on st. holders. Weave 22 sts. of each shoulder of front to 22 sts. of corresponding shoulder of back. Place the 34 sts. of neck on a st. holder.

For Sleeve, pick up 72 sts. (66 sts. around armhole and 3 sts. of front and back from st. holders) and follow chart.

Finishing, see page 42. Tape shoulder seams with matching seam binding. Pick up 80 sts. around neck and work in K. 2, P. 2 ribbing for $\frac{3}{4}$ inch (7 inches), bind off.





ELSDON

No. 6209

FEATHERWEIGHT KNITTING WORSTED SLEEF/ELESS SLIP-OVER

Size 40

1 Pr. No. 2 Athena Noninflammable
Needles—14 inch for ribbing at waist

1 Pr. No. 4 Athena Noninflammable
Needles—14 inch

Scale: $7\frac{1}{2}$ sts. to 1 inch
9 rows to 1 inch

1 No. 3 Athena Noninflammable
Crochet Hook

MINERVA FEATHERWEIGHT
KNITTING WORSTED . . . 5 Skeins

or

2 Skeins Minerva Spanish Knitting
Worsted

Chart symbols explained on page 42.

The slip-over is worked in ribbing pattern No. 2 on No. 4 needles with border at waist (indicated on chart by dotted lines) worked on No. 2 needles in ribbing pattern No. 1.

RIBBING PATTERN No. 1:
Multiple of 4 sts. plus 2.

Row 1—P. 2, * K. 2, P. 2, repeat from * across row.

Row 2—K. 2, * P. 2, K. 2, repeat from * across row.

Repeat these 2 rows for Pattern No. 1.

RIBBING PATTERN No. 2:
Multiple of 8 sts. plus 2.

Row 1—P. 2, * K. 6, P. 2, repeat from * across row.

Row 2—K. 2, * P. 6, K. 2, repeat from * across row.

Repeat these 2 rows for pattern No. 2.

Follow chart for Front, see page 20. When work measures 14 inches from start, work remainder of front in ribbing pattern No. 1 on No. 4 needles.

Follow chart for Back, working in same manner as front, omitting neck opening and binding off remaining 38 sts. at back of neck.

Finishing, see page 42. Sew shoulder and side seams. Work 1 row S. C. around neck and armhole edges. Tape shoulder seams with matching seam binding.

INDIAN SPRINGS

No. 6210

QUALITY KNITTING WORSTED CARDIGAN

Size 40

1 Pr. No. 7 Athena Nonflammable
Needles—14 inch for ribbing

1 Pr. No. 8 Athena Nonflammable
Needles—14 inch

Scale: $4\frac{1}{2}$ sts. to 1 inch

6 rows to 1 inch

MINERVA QUALITY KNITTING
WORSTED 9 Skeins

Chart symbols explained on page 42.

The cardigan is worked in Stockinette St. on No. 8 needles with border at bottom of sleeves (indicated on chart by dotted lines) worked in K. 2, P. 2 ribbing on No. 7 needles.

Follow chart for Left Front, see page 20. When work measures 1 inch from start, P. 1 row on right side of work for turn of hem. Buttonholes are 2 sts. wide, 2 sts. from front edge and 3 sts. apart. To work buttonholes, see page 42. When decreasing at neck edge, work 10th and 11th st. tog. from neck edge.

Work Right Front to correspond, omitting buttonholes, having decreases on opposite sides and binding off border sts. at shoulder.

Follow chart for Back, working hem same as front.

Follow chart for Sleeves.



Follow chart for 2 Pockets. Work 6 inches, then P. 1 row for turn of hem. Work 1 inch even. Bind off.

Finishing, see page 42. Turn back borders along front edge and sew in place. Sew border to back of neck and join on right shoulder. Turn back hems at lower edge of cardigan and on top edge of pockets. Sew pockets in place. Tape shoulder seams with matching seam binding.





INDIAN SPRINGS

Instructions on page 19



ELSDON

Instructions on page 18



CURTIS

No. 6211

SPANISH KNITTING WORSTED CHEST AND BACK PROTECTOR

Medium Size

1 Set No. 2 Athena Noninflammable
Double Point Needles—7 inch for
ribbing

1 Pr. No. 4 Athena Noninflammable
Needles—14 inch

Scale: $6\frac{1}{2}$ sts. to 1 inch
8 rows to 1 inch

MINERVA SPANISH KNITTING
WORSTED 1 Skein

or


2 Skeins Minerva Featherweight
Knitting Worsted

Chart symbols explained on page 42.

The chest and back protector is worked in one piece in Stockinette St. with Moss St. borders (indicated on chart by dotted lines). The turtle neck is worked in K. 1, P. 1 ribbing.

Follow chart for Front and Back, working first 2 inches in Moss St. (K. 1, P. 1 on an uneven number of sts.). Continuing to work first and last 11 sts. in Moss St., work center 55 sts. in Stockinette St. All increases are made inside the Moss St. borders.

With double point needles, pick up 100 sts. around neck and work in K. 1, P. 1 ribbing for 7 inches. Bind off.



"It's a rush job!" —JUDGE



ACEMAN

No. 6212
**QUALITY KNITTING WORSTED
 HELMET**

Medium Size

1 No. 6 Steel Circular Needle—16 inch
 1 No. 7 Steel Circular Needle—24 inch
 Scale: 4½ sts. to 1 inch
 10 rows to 1 inch

MINERVA QUALITY KNITTING
 WORSTED . . . 3 Skeins


Chart symbols explained on page 42.

Follow chart for Front and Back, working back and forth on No. 7 circular needle in Garter St. (plain knitting).

With No. 6 circular needle, pick up 80 sts. around neck and work even in K. 2, P. 2 ribbing for 4 inches. Place 16 sts. at center front on a st. holder. Change to No. 7 circular needle and on remaining 64 sts. follow chart for Head.

Sew each 20 st.-bound-off edge to adjacent 4½-inch edge. With No.

6 circular needle, slip the 16 sts. from st. holder and pick up 84 sts. around edge. Being careful to keep ribbing even, work even in K. 2, P. 2 ribbing for 2 inches. Bind off.



LAKEHURST

No. 6213

SPANISH KNITTING WORSTED HELMET

Medium Size

1 Pr. No. 3 Athena Noninflammable
Needles—14 inch

Scale: 7 sts. to 1 inch
11 rows to 1 inch

1 Set No. 3 Athena Noninflammable
Double Point Needles—7 inch

MINERVA SPANISH KNITTING
WORSTED 2 Skeins

or

3 Skeins Minerva Featherweight
Knitting Worsted

Chart symbols explained on page 42.

PATTERN: Multiple of 4 sts.
plus 2.

Row 1—* K. 2, P. 2, repeat from
* across row, ending K. 2.

Row 2—P.

Repeat these 2 rows for pattern.

Follow chart for Front, working in
pattern.


Work Back in same manner, omit-
ting neck opening and binding off



remaining 34 sts. at back of neck.
Sew shoulder seams. With double
point needles, pick up 130 sts.
around neck and work in K. 1, P. 1
ribbing for 4 inches. Bind off, leav-
ing 25 sts. at center front on st.
holder.

Follow chart for Head, working in
pattern.

Sew each 46 st. bound-off edge to
adjacent 6½ inch edge. Join lower
edge (not cast-on edge) to bound
off ribbing edge. Slip 25 sts. from
st. holder and with double point
needles pick up 125 sts. around
cast-on edge (150 sts.). Work even
in K. 1, P. 1 ribbing for 1 inch.
Bind off.



KNOXVILLE

No. 6214

SPANISH KNITTING WORSTED CAP AND MITTENS

Medium Size

- 1 Set No. 2 Athena Nonflammable
Double Point Needles—7 inch
 - 1 Set No. 3 Athena Nonflammable
Double Point Needles—7 inch
- Scale: 8 sts. to 1 inch

MINERVA SPANISH KNITTING WORSTED

- Cap 1 Skein
- Mittens 1 Skein

or

- 1 Skein each Minerva Featherweight
Knitting Worsted.

No chart.

SPIRAL PATTERN: Multiple of
8 sts.

Round 1—* K. 4, P. 4, repeat from
* around.

Repeat Round 1, three times more.

Round 5—P. 1, * K. 4, P. 4, re-
peat from * around, ending K. 4,
P. 3.

Repeat Round 5, three times more.

Round 9—P. 2, * K. 4, P. 4, re-
peat from * around, ending K. 4,
P. 2.

Repeat Round 9, three times more.

Round 13—P. 3, * K. 4, P. 4, re-
peat from * around, ending K. 4,
P. 1.

Repeat Round 13, three times more.

Round 17—* P. 4, K. 4, repeat
from * around.

Repeat Round 17, three times more.

Round 21—K. 1, * P. 4, K. 4, re-
peat from * around, ending P. 4,
K. 3.

Repeat Round 21, three times more.

Round 25—K. 2, * P. 4, K. 4, re-
peat from * around, ending P. 4,
K. 2.

Repeat Round 25, three times more.

Round 29—K. 3, * P. 4, K. 4, re-



peat from * around, ending P. 4,
K. 1.

Repeat Round 29, three times more.

Repeat these 32 rounds for pattern.

CAP: With No. 3 needles, cast on
176 sts. (58 sts. on each of 2
needles, and 60 sts. on 3rd needle),
join being careful not to twist sts.,
and work in pattern for 52 rounds
(6 inches). Next round work as
follows: K. 1, * P. 1, P. 2 tog., P. 1,
K. 1, K. 2 tog., K. 1, repeat from *
around, ending P. 1, P. 2 tog.,
P. 1, K. 1, K. 2 tog. Next round
K. 1, * P. 3, K. 3, repeat from *
around, ending P. 3, K. 2. Repeat
this round once more. Continue
working in K. 3, P. 3 spiral for 15
rounds, moving spiral 1 st. every
3rd round. Next round work as fol-
lows: K. 1, * P. 2 tog., P. 1, K. 2
tog., K. 1, repeat from * around,
ending P. 2 tog., P. 1, K. 2 tog.

Next round K. 1, * P. 2, K. 2, re-
peat from * around, ending P. 2,
K. 1. Continue to work in K. 2,
P. 2 spiral for 8 rounds, moving
spiral 1 st. every other round. Next
round change to No. 2 needles
and work in K. 1, P. 1 ribbing for
1 inch. Then K. 2 tog. around.
Break yarn and draw sts. tog.

MITTENS: With No. 3 needles,
cast on 56 sts. (20 sts. on first
needle and 18 sts. on each of the
other 2 needles), and work in pat-
tern for 5 inches. Next round work
to last 2 sts. on 3rd needle and in-
crease in each st. On following
round, continuing in pattern, work
to last 2 sts. on needle, place a
marker on needle, and increase in
each of these 2 sts. Working thumb
(increases after marker) in Stock-
inette St. and remaining sts. in pat-
tern, increase after marker and in
last st. on 3rd needle until there are

20 sts. after marker. Slip these 20 sts. on a st. holder, and continue to work in pattern on the 56 sts. for $4\frac{1}{2}$ inches. Next round work 2nd and 3rd st. tog. in each group of K. 4 sts. and P. 4 sts. (42 sts.). Spiral is now K. 3, P. 3, moving spiral 1 st. every 3rd round. Work for 6 rounds. Now work the first and 2nd st. tog. in each group of K. 3 sts. and P. 3 sts. (28 sts.). Spiral pattern is now K. 2, P. 2, moving spiral 1 st. every 2nd round. Work for 4 rounds. Then K. 2 tog. around (14 sts.), and work in K. 1, P. 1 ribbing for 3 rounds. On next round K. 2 tog. around (7 sts.). Draw sts. tog.

Slip the 20 sts. from st. holder on to 3 needles (6 sts. on each of 2 needles and 8 sts. on 3rd needle), and work in Stockinette St. for 2 inches. Next round * K. 3, K. 2 tog., repeat from * around (16 sts.). K. 2 rounds even. Next round * K. 2, K. 2 tog. around (12 sts.). K. 1 round. Then * K. 1, K. 2 tog., repeat from * around (8 sts.). Weave these sts. tog.

ALLENFORD

No. 6215 QUALITY KNITTING WORSTED MITTENS Medium Size

1 Pr. No. 5 Athena Noninflammable
Needles—14 inch for ribbing

1 Pr. No. 6 Athena Noninflammable
Needles—14 inch

Scale: 5 sts. to 1 inch

7 rows to 1 inch

MINERVA QUALITY KNITTING WORSTED . . . 2 Skeins

No chart.

For regulation mitten, follow instructions as written. For marksman's mitten, follow instructions as written substituting instructions in italics.

With No. 5 needles cast on 36 sts. and work even in K. 1, P. 1 ribbing for 3 inches. Change to No. 6 needles and Stockinette St. and work as follows: (K. row) K. 17, place a marker on needle, increase 1 st. in each of the next 2 sts., place a marker on needle, K. 17. Continue to increase in st. after

first marker and in st. before 2nd marker every other row until there are 14 sts. between markers. Break yarn. Place first and last 17 sts. on a st. holder. On 14 sts. of thumb, cast on 1 st. each side, then work even in Stockinette St. for $1\frac{3}{4}$ inches. Change to No. 5 needles and work even in K. 1, P. 1 ribbing for 1 inch. Draw sts. tog. tightly. *Cast on 14 sts. for flap and work in Stockinette St. for 1 inch ending on K. row. Place sts. on a st. holder.*

With right side of work toward you, K. 17 sts. from st. holder, cast on 2 sts., and K. remaining 17 sts. Work even in Stockinette St. for $4\frac{1}{2}$ ($2\frac{3}{4}$) inches. *Right Mitten—K. 20, bind off 14 sts., K. 2. Next row, P. 2, P. 14 sts. of flap from st. holder, P. 20. Continue to work even on these 36 sts. for $1\frac{3}{4}$ inches more.* Change to No. 5 needles and work in K. 1, P. 1 ribbing for 1 inch. Draw sts. tog. tightly.

Work other mitten in same manner, omitting opening and flap.

Sew seams.



Note opening for fingers palm side of right hand mitten

BARWICK

No. 6216
QUALITY KNITTING WORSTED
FINGERLESS GLOVES

Medium Size

- 1 Pr. No. 5 Athena Noninflammable
Needles—12 inch for ribbing
- 1 Pr. No. 6 Athena Noninflammable
Needles—12 inch
- Scale: 5 sts. to 1 inch
7 rows to 1 inch

MINERVA QUALITY KNITTING
WORSTED 1 Skein

No chart.

With No. 5 needles, cast on 36 sts. and work even in K. 2, P. 2 ribbing for 3 inches. Change to No. 6 needles and work in Stockinette St. for 1 inch. Next row, K. 17, increase in each of the next 2 sts., K. 17. P. back. Next row, K. 18, place a marker on needle, increase in each of the next 2 sts., place a marker on needle, K. 18. P. back. Increase in st. after first marker and before 2nd marker every K. row 5 times more. Next row, P. 18, and place these sts. on a st. holder, cast

on 1 st., P. 14, cast on 1 st., place remaining sts. on a st. holder. Continue to work in Stockinette St. on these 16 sts. for $\frac{1}{2}$ inch. Change to No. 5 needles and work in K. 2, P. 2 ribbing for 1 inch. Bind off.

With wrong side of work toward you, and No. 6 needle, slip 18 sts. from st. holder, cast on 2 sts., work last 18 sts. from st. holder. Work in Stockinette St. for 1 inch. Change to No. 5 needles and work in K. 2, P. 2 ribbing for 1 inch. Bind off.

Sew seams.



KELLY FIELD

No. 6217

SPANISH KNITTING WORSTED FINGERLESS GLOVES

1 Pr. No. 1 Athena Nonflammable
Needles—14 inch for wrist ribbing

1 Pr. No. 3 Athena Nonflammable
Needles—14 inch

Scale: 7 sts. to 1 inch
10 rows to 1 inch

MINERVA SPANISH KNITTING
WORSTED 1 Skein

or

1 Skein Minerva Featherweight
Knitting Worsted.

No chart.

With No. 3 needles, cast on 48 sts. and work even in K. 3, P. 1 ribbing for 5 inches. Change to No. 1 needles and continue to work in ribbing for 2 inches more. Change to No. 3 needles and increase 1 st. in center of first K. rib and in center of every other K. rib across

row (6 sts. increased). Ribbing pattern is now, * K. 4, P. 1, K. 3, P. 1, repeat from * across row. Next row, * K. 1, P. 3, K. 1, P. 4, repeat from * across row. Work even for 1 inch and then increase in alternate K. ribs across row (6 sts. increased). Ribbing pattern is now K. 4, P. 1. Continue to work in ribbing for 5 inches. Bind off.

Sew seam, leaving 2 inches open for thumb 2 inches from cast on edge.



JAMESTOWN

No. 6218
QUALITY KNITTING WORSTED
WRISTLET

- 1 Pr. No. 5 Athena Nonflammable
Needles—12 inch for ribbing
 - 1 Pr. No. 6 Athena Nonflammable
Needles—12 inch
- Scale: 5 sts. to 1 inch
7 rows to 1 inch

MINERVA QUALITY KNITTING
WORSTED 1 Skein

No chart.

With No. 5 needles, cast on 40 sts.
and work in K. 1, P. 1 ribbing for
2 inches. Change to No. 6 needles

and Stockinette St. Increase 1 st.
each side, then increase 1 st. each
side every inch 4 times more.
Change to No. 5 needles and work
in K. 1, P. 1 ribbing for 2 inches.
Bind off.

Sew seam.



LAFAYETTE

No. 6219

SPANISH KNITTING WORSTED MARKSMAN'S GLOVES

Medium Size

1 Set No. 1 Athena Noninflammable
Double Point Needles—7 inch

Scale: 8 sts. to 1 inch

11 rows to 1 inch

MINERVA SPANISH KNITTING
WORSTED 1 Skein

or

2 Skeins Minerva Featherweight
Knitting Worsted.

No chart.

Cast on 56 sts. (20 sts. on first
needle, 18 sts. on each of other 2
needles). Join and work even in
K. 2, P. 2 ribbing for 4 inches.
Change to Stockinette St. and work
even for 1 inch. Now work to last
2 sts. on 3rd needle, place a marker

on needle, and increase 1 st. in each
of these last 2 sts. Increase in the
st. after marker and in the last st.
on needle every other row until
there are 22 sts. between marker
and end of needle. Place these 22
sts. (thumb) on a thread, cast on
2 sts. over these sts. and work even
for 2 inches.

FIRST FINGER: Take last 10 sts.
of 3rd needle and first 8 sts. of first
needle, place remaining sts. on a
thread. Cast on 2 sts., divide the
20 sts. on 3 needles and work in
K. 2, P. 2 ribbing for 1 inch. Bind
off.

Work even on remaining 38 sts.,
having 13 sts. on each of first and
2nd needle and 12 sts. on 3rd
needle, for 3 inches. Now K. 2 tog.
at the beginning and end of each
needle. K. 1 round. Continue de-
creasing in this manner every other

round until 3 sts. remain on each
of first and 2nd needles, and 2 sts.
on 3rd needle. Break yarn, weave
sts. tog.

Slip the 22 thumb sts. from thread,
pick up 2 sts. over the cast on sts.,
and work in K. 2, P. 2 ribbing for
1 inch. Bind off.

Work other glove in same manner
to fingers. Work first finger and
thumb as follows: After casting on
sts. for first finger, work even for
2½ inches. Next round, K. 2 tog.
around (10 sts.). K. 1 round. Next
round, K. 2 tog. around (5 sts.).
K. 1 round, K. 2 tog. once, and
weave remaining sts. tog. Pick up
sts. for thumb and work even for
2¾ inches. Next round, K. 2 tog.
around (12 sts.). K. 1 round. Next
round, K. 2 tog. around (6 sts.).
K. 1 round. Weave remaining sts.
tog.



BAILLEN

No. 6220
QUALITY KNITTING WORSTED
GLOVES
Medium Size

1 Set No. 5 Athena Noninflammable
Double Point Needles—7 inch
Scale: 5 sts. to 1 inch
8 rows to 1 inch

MINERVA QUALITY KNITTING
WORSTED 2 Skeins

No chart.

RIGHT GLOVE: Cast on 36 sts. (12 sts. on each of 3 needles). Work even in K. 2, P. 2 ribbing for 3 inches. Change to Stockinette St. and work even for 1 inch. Then work to last 2 sts. on 3rd needle, mark 2nd st. from end, increase in this st. and last st. on needle. Continue to increase in marked st. and last st. on needle every other row until there are 14 sts. from marked st. to end of needle. Place these 14 sts. on a thread, cast on 2 sts. over

these sts. and work even for 2 inches (36 sts.).

FIRST FINGER: Cast on 2 sts. at the end of the 3rd needle, slip the sts. of the first and 2nd needle on a thread. Divide remaining sts. on 3 needles. Work even for 2½ inches. K. every 3rd and 4th st. tog. around. Work 1 round. Then K. every 2nd and 3rd st. tog. around. Work 1 round. K. 2 tog. around. Draw yarn through remaining sts. and fasten.

SECOND FINGER: Take first 4 sts. from thread, cast on 2 sts., take last 4 sts. from thread, and pick up 2 sts. on side of first finger (12 sts.). Work 2¾ inches, then decrease same as first finger.

THIRD FINGER: Work same as first finger, picking up 2 sts. on side of 2nd finger, 4 sts. on palm, cast on 2 sts., and take last 4 sts. from thread.

FOURTH FINGER: Use remain-

ing 8 sts. and pick up 2 sts. on the side of 3rd finger. Work 2 inches. K. 2 tog. around (5 sts.). K. 1 round. Next round K. 2 tog., K. 1, K. 2 tog. Draw sts. tog., fasten yarn.

THUMB: Slip the 14 sts. from thread and pick up 2 sts. over the cast on sts. Work even for 2¼ inches, K. 2 tog. twice over the picked up sts. for first 2 rounds. K. the 4th and 5th st. tog. for 2 rounds. Work 1 round. K. 2 tog. around. Draw sts. tog. and fasten yarn.

LEFT GLOVE: Work same as right glove to fingers.

FIRST FINGER: K. first 6 sts. of first needle, cast on 2 sts., slip rest of sts. on first needle, all sts. of 2nd needle, and first 6 sts. of 3rd needle on a thread, K. last 6 sts. On these 14 sts. work same as for first finger of other glove.

Work other fingers of left glove in same manner as for right glove.



JEFFERSON

No. 6221 SPANISH KNITTING WORSTED GLOVES

Medium Size

- 1 Set No. 1 Athena Noninflammable Double Point Needles—7 inch
 - 1 Set No. 3 Athena Noninflammable Double Point Needles—7 inch
- Scale: $7\frac{1}{2}$ sts. to 1 inch
10 rows to 1 inch

MINERVA SPANISH KNITTING
WORSTED 1 Skein

or
2 Skeins Minerva Featherweight
Knitting Worsted.

No chart.

PATTERN: Multiple of 2 sts.

Rounds 1 and 2—K.

Round 3—* K. 1, P. 1, repeat from * around.

Repeat these 3 rounds for pattern.

The entire glove is worked in pattern.

With No. 3 needles cast on 50 sts.

(18 sts. on the first needle and 16 sts. on each of the other 2 needles), and work for 3 inches. Change to No. 1 needles and work for 2 inches. Change to No. 3 needles and work even for 1 inch. Next round work to last 2 sts. on 3rd needle, mark 2nd st. from end and increase in this st. and in last st. on needle. Increase in this marked st. and in the last st. on needle every other round until there are 18 sts. between marked st. and last st. on needle (thumb). Place these thumb sts. on a thread, cast on 4 sts. over these sts. and work even for 2 inches.

FIRST FINGER: Take last 10 sts. of 3rd needle, first 4 sts. of first needle, and place remaining sts. on a thread. Cast on 4 sts., join and work around on these 18 sts. in pattern for $2\frac{1}{2}$ inches. Next round work every 5th and 6th st. tog. around. Work 1 round even. Next round work every 4th and 5th st. tog. around. Work 1 round even. Next round work 2 tog. around.

Weave sts. tog.

SECOND FINGER: Take next 6 sts. from end of thread, pick up 4 sts. over the 4 sts. cast on for first finger, take up next 6 sts. from other end of thread, cast on 2 sts. Join and work around in pattern for $2\frac{3}{4}$ inches. Decrease and finish same as first finger.

THIRD FINGER: Take next 7 sts. from end of thread, pick up 2 sts. over the 2 sts. cast on for 2nd finger, take up 7 sts. from other end of thread, cast on 2 sts. Join and work even for $2\frac{1}{2}$ inches. Decrease and finish same as first finger.

FOURTH FINGER: Pick up remaining 12 sts., pick up 2 sts. over cast on sts. of 3rd finger. Join and work around for 2 inches. Next round work the 3rd and 4th st. tog. around. Work 1 round. Next round work the 2nd and 3rd st. tog. around. Work 1 round. Work 2 tog. around. Weave sts. tog.

(Continued on page 33)



RANDOLPH FIELD

No. 6222
SPANISH KNITTING WORSTED
GLOVES

Medium Size

- 1 Set No. 1 Athena Noninflammable
Double Point Needles—7 inch
 - 1 Set No. 3 Athena Noninflammable
Double Point Needles—7 inch
- Scale: 8 sts. to 1 inch
12 rows to 1 inch

MINERVA SPANISH KNITTING
WORSTED 1 Skein
or

2 Skeins Minerva Featherweight
Knitting Worsted.

No chart.

PATTERN: Multiple of 2 sts.

Round 1—* Slip 1, K. 1, repeat
from * around.

Round 2—K.

Repeat these 2 rounds for pattern.

RIGHT GLOVE: With No. 3
needles cast on 72 sts. (23 sts. on
first and 3rd needle and 26 sts. on
2nd needle), and work in K. 1, P.
1 ribbing for 5 inches. Change to
No. 1 needles and work in ribbing
for 2 inches more. Change to No.
3 needles and work next round as
follows: * K. 3 tog., work 6 sts.,
repeat from * around (56 sts. on
needle). Divide sts. so there are 18
sts. on each of the first 2 needles
and 20 sts. on 3rd needle and work
in pattern. Work even for 1 inch.
On next K. round, work to last 3
sts. on 3rd needle, mark 3rd st.
from end, increase in this st. and in
last st. on needle. Work 1 round.
Increase in this marked st. and in
last st. on needle every 2nd round
4 times more and every 3rd round
5 times more (21 sts., thumb, be-
tween marked st. and last st. on
needle). Place these 21 thumb sts.
on a thread, cast on 3 sts. over these
sts. and work even in pattern for 2
inches.

FIRST FINGER: Cast on 4 sts. at
end of 3rd needle, slip sts. of first
and 2nd needle tog. with first
6 sts. of 3rd needle on a thread.
Divide remaining sts. on 3 needles.
Work even in pattern for 2½
inches, ending with Round 1 of
pattern. Next round, * K. 2 tog.
twice, K. 1, repeat from * around.
Work 3 rounds. Next round, * K.
2 tog., K. 1, repeat from * around.
K. 1 round. Weave sts. tog.

SECOND FINGER: Take first 6
sts. from thread, cast on 4 sts., take
last 6 sts. from thread and pick up
4 sts. on side of first finger (20
sts.). Work even in pattern for
2¾ inches, then decrease same as
first finger.

THIRD FINGER: Work same as
first finger, picking up 4 sts. on side
of 2nd finger, 7 on palm, cast on
2 sts., and take last 7 sts. from
thread.



ANDEER

No. 6223

SPANISH KNITTING WORSTED ANKLETS

Medium Size

1 Set No. 1 Athena Nonflammable Double Point Needles—7 inch

Scale: $8\frac{1}{2}$ sts. to 1 inch
11 rows to 1 inch

1 No. 2 Athena Nonflammable Crochet Hook

MINERVA SPANISH KNITTING WORSTED 1 Skein

or

2 Skeins Minerva Featherweight Knitting Worsted.

No chart.

Cast on 68 sts., having 22 sts. on each of 2 needles and 24 sts. on the 3rd needle. Join being careful not to twist sts., and work in K. 1, P. 1 ribbing for $5\frac{1}{2}$ inches. Change to Stockinette St. (plain knitting) and work even for 7 inches. K. 34, bind off next 34 sts. Work back and forth on remaining 34 sts. for $1\frac{1}{2}$ inches. Cast on 34 sts. over those bound off. Join and work even on these 68 sts. for 2 inches. Bind off.

Work 1 row S. C. around foot and heel edge.

FOURTH FINGER: Use remaining sts. and pick up 2 sts. on side of 3rd finger. Work 2 inches even, ending with Round 1 of pattern. Next round, * K. 2 tog. twice, K. 1, repeat from * around, ending K. 2 tog., K. 1. Work 3 rounds. Next round, * K. 2 tog., K. 1, repeat from * around, ending K. 2 tog. K. 1 round, K. 2 tog. once. Weave sts. tog.

THUMB: Place the 21 sts. on No. 10 needles and pick up 3 sts. over the 3 sts. cast on for palm. Work even in pattern for $2\frac{1}{4}$ inches, ending with Round 1 of pattern. Next round, * K 2 tog. twice, K 1, repeat from * around, ending K. 2 tog. twice. Work 3 rounds. Next round, * K. 2 tog., K. 1, repeat from * around, ending K. 2 tog. K. 1 round, K. 2 tog. once. Weave sts. tog.

LEFT GLOVE: Work same as right glove to fingers.

FIRST FINGER: Work 8 sts. of first needle, cast on 4 sts., slip rest of sts. of first needle, all sts. of 2nd needle, and first 14 sts. of 3rd needle on a thread, work 8 sts. Work on these 20 sts. same as first finger of other glove.

Work other fingers same as right glove.


JEFFERSON

(Continued from page 31)

THUMB: Pick up sts. from thread, pick up 4 sts. over the 4 cast on for hand. Join and work even for $2\frac{1}{4}$ inches. Work the 4th and 5th st. tog. for 2 rounds. Work 1 round even. Work 2 tog. around. Weave remaining sts. tog.

Work other glove in same manner.





MINEOLA

FARGO

HANDLEY

MINEOLA

No. 6224
SPORTS YARN SCARF

About 14" x 60"

1 Pr. No. 3 Athena Nonflammable
Needles—14 inch

Scale: 7½ sts. to 1 inch

MINERVA SPORTS YARN.... 3 Balls

No chart.

The entire scarf is worked in Garter St.

Cast on 106 sts. and work even for 60 inches. Bind off.

HANDLEY

No. 6225
SOCK YARN SCARF

About 14" x 60"

1 Pr. No. 2 Athena Nonflammable
Needles—14 inch

Scale: 10 sts. to 1 inch
12 rows to 1 inch

MINERVA SOCK YARN..... 9 Skeins

No chart.

PATTERN: Multiple of 4 sts. plus 5.

Row 1—K. 3, P. 2, * K. 2, P. 2, repeat from * across row.

Repeat this row for pattern.

Cast on 141 sts. and work in pattern for 60 inches. Bind off.

FARGO

No. 6226
FEATHERDOWN SCARF

About 13" x 54"

1 Pr. No. 3 Athena Nonflammable
Needles—14 inch

Scale: Moss St.
8 sts. to 1 inch

Scale: Stockinette St.
8 sts. to 1 inch
11 rows to 1 inch

MINERVA FEATHERDOWN.. 4 Balls

No chart.

The scarf is worked in Stockinette St. with a 1 inch border of Moss St.

Cast on 103 sts. and work in Moss St. (K. 1, P. 1 on an uneven number of sts.) for 1 inch. Work as follows for 52 inches: Work first 9 sts. in Moss St., the next 85 sts. in Stockinette St. and the last 9 sts in Moss St. Work 1 inch even in Moss St. Bind off.

CALAIS

No. 6227
FEATHERDOWN SPIRAL
BED SOCKS

1 Set No. 2 Athena Nonflammable
Double Point Needles—7 inch
Scale: 10 sts. to 1 inch
12 rows to 1 inch

MINERVA FEATHERDOWN...2 Balls

No chart.

PATTERN: Multiple of 10 sts.

Round 1— * K. 6, P. 4, repeat
from * around.

Repeat Round 1, seven times more.

Round 9—P. 1, * K. 6, P. 4, re-
peat from * around, ending K. 6,
P. 3.

Repeat Round 9, seven times more.

Round 17—P. 2, * K. 6, P. 4, re-
peat from * around, ending K. 6,
P. 2.

Repeat Round 17, seven times more.

Round 25—P. 3, * K. 6, P. 4, re-
peat from * around, ending K. 6,
P. 1.

Repeat Round 25, seven times more.

Round 33—* P. 4, K. 6, repeat
from * around.

Repeat Round 33, seven times more.

Round 41—K. 1, * P. 4, K. 6,
repeat from * around, ending P. 4,
K. 5.

Repeat Round 41, seven times more.

Round 49—K. 2, * P. 4, K. 6,
repeat from * around, ending P. 4,
K. 4.

Repeat Round 49, seven times more.

Round 57—K. 3, * P. 4, K. 6, re-
peat from * around, ending P. 4,
K. 3.

Repeat Round 57, seven times more.

Round 65—K. 4, * P. 4, K. 6,
repeat from * around, ending P. 4,
K. 2.

Repeat Round 65, seven times more.


Round 73—K. 5, * P. 4, K. 6, re-
peat from * around, ending P. 4,
K. 1.

Repeat Round 73, seven times more.

Repeat from Round 1 for pattern.

Cast on 80 sts., having 26 sts. on
each of 2 needles and 28 sts. on the
3rd needle. Join, being careful not

to twist sts. and work in K. 2, P. 2
ribbing for 3 inches for cuff. Start
spiral pattern, and work for 13½
inches or desired length. Now work-
ing on all sts. in Stockinette St.,
decrease for toe as follows: * K. 8,
K. 2 tog., repeat from * around.
K. 3 rounds even. Next round,
* K. 7, K. 2 tog., repeat from
* around. K. 3 rounds even. Con-
tinue to decrease in this manner
(having 1 less st. between the de-
creases each decreasing round)
every 4th round 6 times more (16
sts. remaining). Weave these sts.
tog.



RICHMOND

No. 6228
SOCK YARN SOCKS

Size 11½

1 Set No. 2 Athena Noninflammable
Double Point Needles—7 inch
Scale: 7½ sts. to 1 inch
10 rows to 1 inch

MINERVA SOCK YARN.....3 Skeins

No chart.

Cast on 60 sts., having 20 sts. on each of 3 needles. Join being careful not to twist sts. and work in K. 2, P. 2 ribbing for 5½ inches. Change to Stockinette St. (plain knitting) and work even for 7 inches. Divide sts. on needles as follows: 15 sts. on each of 2 needles and 30 sts. on 3rd needle (heel sts.). Work back and forth on these 30 sts. for 2 inches. On next K. row, K. 8, place a marker on needle, K. 2 tog., K. 10, K. 2 tog., place a marker on needle, K. 8 P. back. Continue to decrease 1 st. after first marker and before 2nd marker every other row until there are 6 sts. between markers (22 sts.

on needle). Fold heel at center back, weave first 11 sts. to last 11 sts.

Now pick up 40 sts. around heel, work around first and 2nd needles (instep sts.). Divide sts. on needles as follows: 30 sts. (instep sts.) on 3rd needle and 20 sts. on each of other 2 needles. Work next round as follows: K. 1, K. 2 tog., K. to end of first needle; K. to last 3 sts. on 2nd needle, K. 2 tog., K. 1; K. all sts. on 3rd needle. Continue to decrease in this manner at the beginning of first needle and at the end of 2nd needle every 4th round until 15 sts. remain on each of the first and 2nd needles. Continue to work around in Stockinette St. until foot measures 9½ inches from back of heel (2 inches less than desired length). Then K. 1, K. 2 tog., K. to end of first needle; K. to last 3 sts. on 2nd needle, K. 2 tog., K. 1; on 3rd needle K. 1, K. 2 tog., K. to last 3 sts. on needle, K. 2 tog., K. 1. Continue decreasing in this manner every other round until 20 sts. remain (5 sts. on each of first 2 needles and 10 sts. on 3rd needle). Weave these sts. tog.

GETTYSBURG

No. 6229

SPANISH KNITTING WORSTED
KNEE WARMERS

Medium Size

1 Pr. No. 2 Athena Noninflammable
Needles—14 inch
Scale: 7½ sts. to 1 inch
10 rows to 1 inch

MINERVA SPANISH KNITTING
WORSTED 1 Skein
or

1 Skein Minerva Featherweight
Knitting Worsted.

No chart.

Cast on 16 sts. and work in Stockinette St. for ¾ inch. Next row, work across 7 sts., increase 1 st. in each of the next 2 sts., work across row. P. back. Next row, K. 7, place a marker on needle, increase 1 st. in next st., K. 2, increase 1 st. in next st., place a marker on needle, K. 7. P. back. Continue to increase 1 st. after first marker and before 2nd marker every other row until there are 16 sts. between markers (30 sts. on needle). Work even on these 30 sts. for 6 inches, then decrease as follows: K. 7, marker, K. 2 tog., K. 12, K. 2 tog., marker, K. 7. P. back. Continue to decrease 1 st. after first marker and before 2nd marker until 16 sts. remain on needle. Work even on these 16 sts. for ¾ inch. Bind off.

Pick up 78 sts. along side edges of Stockinette St. section and work in K. 1, P. 1 ribbing for 2 inches.

Sew seam.





AIRFIELD
BALDON

Instructions on page 38
Instructions on page 38



CAMP PERRY

Instructions on page 38

RENTON

Instructions on page 39

BALER

Instructions on page 39



FAIRFIELD

Illustrated on page 37

No. 6230

SPANISH KNITTING WORSTED SOCKS

Size 11½

- 1 Set No. 2 Athena Noninflammable Double Point Needles—7 inch
Scale: 7 sts. to 1 inch
9 rows to 1 inch

MINERVA SPANISH KNITTING WORSTED. . . . 1 Skein

or

- 2 Skeins Minerva Featherweight Knitting Worsted.

No chart.

Cast on 56 sts., having 15 sts. on first needle, 25 sts. on 2nd needle and 16 sts. on 3rd needle. Join being careful not to twist sts. and work in K. 1, P. 1 ribbing for 5½ inches. Change to K. 3, P. 1 ribbing and work even for 7 inches.

To shape heel, work back and forth in Stockinette St. on first and 3rd needles only. Work heel sts. as follows: (Always slip the first st.) P. 30, turn; K. 29, turn; P. 28, turn; K. 27, turn. Continue working in this manner, working 1 st. less on each row until last row is K. 9, turn. P. 9, pick up a loop from the previous row on to left hand needle and P. it tog. with the next st. to prevent a hole, turn; K. 10, pick up a loop from the previous row and K. it tog. with the next st., turn. Continue working in this manner, working 1 st. more each row until all sts. are being worked, ending with a P. row. Then work around on all sts., continuing to work instep (2nd needle) in ribbing pattern (* P. 1, K. 3, repeat from * ending P. 1) and first and 3rd needles in Stockinette St. Work even for 9½ inches (allowing 2 inches for toe shaping).

To shape toe, divide sts. as follows: Slip 1 st. from first needle to 2nd needle and 2 sts. from 3rd needle to 2nd needle (14 sts. on first and

3rd needle, 28 sts. on 2nd needle). Work entire toe in Stockinette St. as follows: On first needle, K. to last 3 sts. on needle, K. 2 tog., K. 1; on 2nd needle, K. 1, slip 1, K. 1, P. S. S. O., K. to last 3 sts. on needle, K. 2 tog., K. 1; on 3rd needle, K. 1, slip 1, K. 1, P. S. S. O., K. to end of needle. Decrease in this manner every other row until there are 20 sts. remaining (5 sts. on each of 2 needles, 10 sts. on 2nd needle). Weave these sts. tog.

14 - 20
28 - 40

BALDON

Illustrated on page 37

No. 6231

QUALITY KNITTING WORSTED SOCKS

Size 11½

- 1 Set No. 5 Athena Noninflammable Double Point Needles—7 inch
Scale: 5 sts. to 1 inch
8 rows to 1 inch

MINERVA QUALITY KNITTING WORSTED 3 Skeins

No chart.

Cast on 40 sts., having 10 sts. on first and 3rd needles and 20 sts. on 2nd needle. Join being careful not to twist sts., and work in K. 1, P. 1 ribbing for 5½ inches. Change to Stockinette St. (plain knitting) and work even for 7 inches.

To shape heel, work back and forth on first and 3rd needles (20 sts.) in Stockinette St. for 2½ inches. Beginning with next K. row, K. 12, slip 1, K. 1, P. S. S. O., turn; slip 1, P. 4, P. 2 tog., turn; slip 1, K. 5, slip 1, K. 1, P. S. S. O., turn; slip 1, P. 6, P. 2 tog., turn. Continue in this manner, working 1 more st. each row until all sts. are being worked (12 sts. on needle). On first needle, slip ½ of remaining heel sts. on this needle, pick up 12 sts. along side of heel; on 2nd needle, work across instep sts.; on 3rd needle, pick up 12 sts. along side of heel and work over remaining 6 sts. (18 sts. on first and 3rd needles and 20 sts. on 2nd or in-

step needle). On next row, K. to last 3 sts. of first needle, K. 2 tog., K. 1; K. across instep needle; on 3rd needle, K. 1, slip 1, K. 1, P. S. S. O., work to end of needle. Work 1 round even. Repeat these last 2 rounds until there are 10 sts. on each of the heel needles. Work even until work measures 9½ inches from back of heel (allowing 2 inches for toe shaping).

To shape toe, on first needle, K. to last 3 sts., K. 2 tog., K. 1; on instep needle, K. 1, slip 1, K. 1, P. S. S. O., K. to last 3 sts., K. 2 tog., K. 1; on 3rd needle, K. 1, slip 1, K. 1, P. S. S. O., K. to end of needle. K. 1 round. Repeat these last 2 rounds until 12 sts. remain (3 sts. on first and 3rd needles, 6 sts. on 2nd needle). Weave these sts. tog.

CAMP PERRY

Illustrated on page 37

No. 6232

SPANISH KNITTING WORSTED SOCKS

Size 11½

- 1 Set No. 1 Athena Noninflammable Double Point Needles—7 inch
Scale: 8½ sts. to 1 inch
11 rows to 1 inch

MINERVA SPANISH KNITTING WORSTED

Regulation length..... 1 Skein
Knee length..... 2 Skeins

or

Minerva Featherweight Knitting Worsted
Regulation length..... 2 Skeins
Knee length..... 3 Skeins

No chart.

Follow instructions as written for regulation length socks. For knee length socks, follow instructions as written substituting numbers in italics.

Cast on 68 sts., having 17 sts. on each of 2 needles and 34 sts. on 3rd needle. Join being careful not to twist sts. and work in K. 1, P. 1 ribbing for 5½ (3) inches. Change to Stockinette St. (plain knitting) and work even for 7 (13) inches.

To shape heel, work back and forth on 3rd needle (34 heel sts.) in Stockinette St. for 2 inches. Work over first 9 sts., put a marker on needle, K. 2 tog., work over 12 sts., K. 2 tog., put a marker on needle, work over remaining 9 sts. P. back. Continue to decrease 1 st. after first marker and before 2nd marker every other row until there are 6 sts. between markers. Fold heel at center back and weave first 12 sts. to last 12 sts. Now pick up 42 sts. around heel, work over first and 2nd needles (instep sts.). Divide sts. on needles as follows: 34 instep sts. on 3rd needle, 21 sts. on each of other 2 needles. Work around as follows: K. 1, K. 2 tog. at the beginning of first needle; work across to last 3 sts. on 2nd needle, K. 2 tog., K. 1; work across 3rd needle. Continue decreasing 1 st. at the beginning of first needle, and at the end of 2nd needle every 5th round until there are 17 sts. on each of the first 2 needles. Now work even until foot measures 9½ inches from back of heel (allowing 2 inches for toe shaping).

To shape toe, K. 1, K. 2 tog, work across first needle; work to last 3 sts. of 2nd needle, K. 2 tog., K. 1; on 3rd needle, K. 1, K. 2 tog., work to last 3 sts., K. 2 tog., K. 1. Continue decreasing in this manner at the beginning of the first needle, at the end of 2nd needle, and at the beginning and end of 3rd needle every other round until 24 sts. remain (6 sts. on each of first 2 needles, 12 sts. on 3rd needle). Weave these sts. tog.

TRENTON

Illustrated on page 37

No. 6233

**SPORTS YARN HOSPITAL
SOCKS**

Size 11½

- 1 Set No. 1 Athena Nonflammable
Double Point Needles—7 inch
- 1 Set No. 2 Athena Nonflammable
Double Point Needles—7 inch
- Scale: K. 1, P. 1 ribbing
10½ sts. to 1 inch

Scale: Garter St.
8 sts. to 1 inch
16 rows to 1 inch

MINERVA SPORTS YARN . . .
2 Balls each

No chart.

For long socks, follow instructions as written. For short socks, follow instructions as written, substituting numbers in italics.

With No. 1 needles, cast on 84 sts., having 28 sts. on each of 3 needles. Join being careful not to twist sts. and work even in K. 1, P. 1 ribbing for 3 inches. Change to No. 2 needles and work even in ribbing for 13 (3) inches. Next round, * K. 2, K. 2 tog., repeat from * 19 times, K. 4 (64 sts.). P. 1 round. Divide sts. on 3 needles as follows: 16 sts. on each of first 2 needles and 32 sts. on 3rd needle (heel). The entire foot is worked in Garter St. Work even in Garter St. (plain knitting) on heel sts. for 2 inches. Next row, with right side of work toward you, K. 8, place a marker on needle, K. 2 tog., K. 12, K. 2 tog., place a marker on needle, K. 8. Continue to decrease after first marker and before 2nd marker every 4th row until there are 6 sts. between markers (22 sts. on needle). Fold heel at center back and weave first 11 sts. to last 11 sts. With 3rd needle, starting at center of heel, pick up 20 sts. along side of heel; work 32 instep sts. on first needle; with 2nd needle, pick up 20 sts. along side of heel. P. 1 round. Work next round (K. round) as follows: K. to last 3 sts. on 3rd needle, K. 2 tog., K. 1; K. all sts. on first needle; on 2nd needle, K. 1, K. 2 tog., K. to end of needle. Working in Garter St. (K. 1 round, P. 1 round), continue decreasing in this manner at end of 3rd needle and beginning of 2nd needle every 8th round until there are 16 sts. on each of 2nd and 3rd needles. Continue to work in Garter St. until foot measures 9½ inches from back of heel (2 inches less than desired length). On next K. round, K. to last 3 sts. on 3rd needle, K. 2 tog., K. 1; on first needle, K. 1, K. 2 tog., K. to last

3 sts. on needle, K. 2 tog., K. 1; on 2nd needle, K. 1, K. 2 tog., K. to end of needle. Continue decreasing at the end of the 3rd needle, the beginning and end of first needle, and at the beginning of the 2nd needle, every 3rd round until 20 sts. remain (10 sts. on first needle and 5 sts. on each of other 2 needles). Weave these sts. tog.

BALER

Illustrated on page 37

No. 6234

**QUALITY KNITTING WORSTED
SEA BOOTS**

- 1 Set No. 5 Athena Nonflammable
Double Point Needles—7 inch
Scale: 13 sts. to 3 inches
6 rows to 1 inch

MINERVA QUALITY KNITTING
WORSTED . . . 11 Skeins

No chart.

The entire sea boot is worked with double strand of yarn.

Cast on 72 sts., having 26 sts. on first needle and 23 sts. on each of the other 2 needles. Work even in K. 1, P. 1 ribbing for 6 inches. Change to Stockinette St. (plain knitting) and work even for 10 inches. Next round work as follows: K. all sts. on first needle; on 2nd needle, K. to last 3 sts., K. 2 tog., K. 1; on 3rd needle, K. 1, K. 2 tog., K. to end of needle. Continue to decrease in this manner every inch until there are 11 sts. on both 2nd and 3rd needle. Work even until work measures 30 inches from start. Now work back and forth on sts. of 2nd and 3rd needle (heel sts.) for 3 inches. Next K. row, K. 1, slip a marker on needle, K. 2 tog., K. to end of 2nd needle; K. to last 3 sts. on 3rd needle, K. 2 tog., slip a marker on needle, K. 1. Continue to decrease after first marker and before 2nd marker every other row until 4 sts. remain on each of the 2 needles. Weave the first 4 sts. to last 4 sts. Now pick up 44 sts. around heel (22 sts. on both 2nd and 3rd needle), and with 26 sts. of first needle (instep
(Continued on page 40)

(Continued from page 39)

sts.) work all sts. as follows: K. all sts. of first needle; on 2nd needle, K. 1, K. 2 tog., K. to end of needle; on 3rd needle, K. to last 3 sts., K. 2 tog., K. 1. Continue to decrease in this manner, decreasing 1 st. at the beginning of 2nd needle and at end of 3rd needle every round until there are 11 sts. on each of the 2 needles. Now work even until foot measures 10 inches from back of heel. Slip 1 st. from each end of first needle on to 2nd and 3rd needle respectively (24 sts. on first needle and 12 sts. on each of other 2 needles). To shape toe, work as follows: On first needle, K. 1, K. 2 tog., K. to last 3 sts. on needle, K. 2 tog., K. 1; on 2nd needle, K. 1, K. 2 tog., K. to end of needle; on 3rd needle K. to last 3 sts. on needle, K. 2 tog., K. 1. Continue decreasing in this manner at the beginning and end of the first needle, at the beginning of the 2nd needle, and at the end of 3rd needle every other round until 16 sts. remain. Weave these sts. tog.



INMAN

No. 6235
SPORTS YARN SLEEVELESS
UNDERSHIRT

Size 40

1 No. 3 Steel Circular Needle—24 inch

Scale: $8\frac{1}{2}$ sts. to 1 inch
10 rows to 1 inch

1 Pr. No. 3 Athena Nonflammable
Needles—14 inch

MINERVA SPORTS YARN... 3 Balls



Chart symbols explained on page 42.

The entire undershirt is worked in K. 6, P. 2 ribbing with Stockinette St. bands around armholes and neck.

With circular needle, cast on 304 sts. and work even in K. 6, P. 2 ribbing for 19 inches. Now beginning with a K. 6 rib, bind off 22 sts., work 130 sts. and place these sts. on a st. holder (back), bind off next 22 sts. Work on remaining 130 sts. following chart. Place the 12 sts. of each shoulder on st. holders.

Slip the 130 sts. of back from st. holder and follow chart.

Finishing, see page 42. Weave shoulder seams. With circular needle and right side of work toward you, pick up 192 sts. around neck. Work in Stockinette St. for 6 rows. K. 1 row for turn of hem. Work in K. 1, P. 1 ribbing for 6 rows. Bind off. With circular needle, and right side of work toward you, pick up 182 sts. around armhole. Work in Stockinette St. for 6 rows. K. 1 row for turn of hem. Work in K. 1, P. 1 ribbing for 6 rows. Bind off. Turn under bands and tack in place.



EDEN

No. 6236
FEATHERDOWN STOMACH
BAND

Medium Size

1 No. 0 Steel Circular Needle—29 inch

1 No. 2 Steel Circular Needle—29 inch

Scale: 10 sts. to 1 inch

MINERVA FEATHERDOWN . . .
4 Balls

No chart.

With No. 0 needle, cast on 340 sts. Join, being careful not to twist sts., and work in K. 1, P. 1 ribbing for 3 inches. Change to No. 2 needle and continue to work in K. 1, P. 1 ribbing for 8 inches. Change to No. 0 needle and work in K. 1, P. 1 ribbing for 3 inches more. Bind off.

NELSON

Illustrated on page 3

No. 6200 FEATHERWEIGHT KNITTING WORSTED SLIP-OVER

Size 40

1 Pr. No. 1 Athena Noninflammable
Needles—14 inch for ribbing

1 Pr. No. 3 Athena Noninflammable
Needles—14 inch

Scale: 7 sts. to 1 inch
9 rows to 1 inch

1 Set No. 1 Athena Noninflammable
Double Point Needles—7 inch for
ribbing

MINERVA FEATHERWEIGHT
KNITTING WORSTED 7 Skeins

or

4 Skeins Minerva Spanish Knitting
Worsted


Chart symbols explained on page 42.

For V neck, follow instructions as
written. For round neck, follow in-
structions as written, substituting
numbers in italics.

The slip-over is worked in Stock-
inette St. on No. 3 needles, with
K. 2, P. 2 ribbing borders (indi-
cated on charts by dotted lines)
worked on No. 1 needles.

Follow charts for Front, Back and
Sleeves.

Finishing, see page 42. Sew shoul-
der seams. Sew sleeves in place;
sew underarm seams. With No. 1
double point needles, pick up 204
(120) sts. around neck edge and
work in K. 2, P. 2 ribbing for $\frac{3}{4}$
inch. To miter V neck, see page 42.
Tape shoulder seams with match-
ing seam binding.



GENERAL INSTRUCTIONS

SYMBOLS USED ON CHARTS

Each block of chart represents one square inch.

I—means to Increase 1 st. at point indicated.
I—1R-8—means to Increase 1 st. every row, 8 times.
I—2R-8—means to Increase 1 st. every 2nd row, 8 times.
I— $\frac{1}{2}$ "-8—means to Increase 1 st. every $\frac{1}{2}$ inch, 8 times.

D—means to Decrease.
B—means to Bind off.
C—means to Cast on.
C-4-2R-10—means to Cast on 4 sts. every 2nd row, 10 times.
B-4-2R-10—means to Bind off 4 sts. every 2nd row, 10 times.

ABBREVIATIONS USED IN KNITTING AND CROCHET INSTRUCTIONS

K.—Knit	Tog.—Together
P.—Purl	St.—Stitch
Ch.—Chain	Slip St.—Slip Stitch
S. C.—Single Crochet	Y. O.—Yarn Over
H. D. C.—Half Double Crochet	
D. C.—Double Crochet	
Tr. C.—Treble Crochet	
P.S.S.O.—Pass Slip Stitch Over Knit Stitch.	

BUTTONHOLES: Bind off the given number of stitches, this same number of stitches to be cast on, on the next row directly over the bound off sts. Work around buttonholes in Button-hole St.

To make crocheted buttonholes—Ch. the desired number of sts., skip the same number of sts. on previous row and on next row, work over the Ch. sts.

KNIT-IN POCKETS: Work pocket facing (back of pocket) ending with a K. row and put sts. on a st. holder. Work pocket opening, binding off pocket sts. on a K. row. On next row, work across to pocket opening, work pocket sts. from st. holder and continue across row. After garment is completed, sew edges of facing to garment.

Knit-in pockets in a raglan started at the neck: Work to pocket opening, slip pocket sts. on a st. holder, cast on the same number of sts. and continue to follow chart. When garment is completed, pick up sts. from st. holder and work the required number of inches. Sew edges of facing to garment.

MARKERS: When the instructions say slip a marker on needle, use a small safety pin, or a tied loop of yarn in contrasting shade, slip on right hand knitting needle, and on next row, slip from one needle to the other and continue work.

TO MITER V NECK: After picking up necessary number of sts. around neck opening, decrease at point of V by K. 2 tog., 2 times every row.

MONK'S CORD: Cut yarn of sufficient length and number of strands required, divide into two groups and fasten together at one end. Make a slip loop on forefinger of left hand with one strand near point of joining, holding slip knot between thumb and second finger, * insert forefinger of right hand through loop from back or left side and draw up a loop of other strand. Keeping this loop on right forefinger, change slip knot to right hand, dropping loop off left forefinger, and draw first strand taut, closing first loop. Repeat from * inserting left forefinger in back of loop and continue to alternate in this manner.

WHEN KNITTING 2 PARTS OF A GARMENT that correspond, it is advisable to work them at the same time on the same needle, using 2 balls of yarn.

CAUTION—NEEDLES: Always clean your needles before working. This prevents a dark line in your work.

POMPONS: Wind yarn around cardboard slightly larger than

the size of pompon desired. Slip from cardboard, tie securely in center and clip both ends, then trim in shape of ball.

TASSELS: Wind yarn around cardboard slightly larger than the size of tassel desired. Tie firmly at one end, slip from card and wind yarn several times around the loops near the top. Trim the ends evenly.

FINISHING A NEW GARMENT

BLOCKING: Using rust proof pins, pin each piece wrong side out, on a pressing board in exactly the line you wish to retain. Use a damp cloth and moderately hot iron, press lightly, allowing the steam to go through the garment. Lay it on a flat surface until thoroughly dry. The skirt may be blocked in the same manner or on a Skirt Blocker which has been adjusted to the proper measurements.

JOINING: Sew pieces together, being careful that the edges meet evenly. Be careful to match rows wherever possible, easing in any extra fullness. In sewing in the sleeves be sure to ease the fullness toward the top. When sewing seams in a skirt, place on a flat surface and pin edges evenly, then sew tightly to prevent sagging. Another method of sewing the garment together is to pin edges, easing in any extra fullness, then sew a narrow dressmaker's seam, using a back st. Press seams lightly.

TAPING: To insure the shoulders retaining their fit, it is advisable where possible, to tape the shoulder seams.

BEADING: Fasten yarn, Ch. 5, * skip 2 sts., 1 D. C. in next st., Ch. 2, repeat from * around edge of garment, fasten yarn in 3rd Ch. of the Ch. 5.

CASING FOR ELASTIC (inside at waistline): Fasten yarn, * Ch. 5, skip 2 sts., 1 slip st. in st. $\frac{1}{2}$ inch below next st., Ch. 5, skip 2 sts., 1 slip st. in next st. $\frac{1}{2}$ inch above, repeat from *.

EDGES: The bottom of skirt and edges of blouse, sleeves, collar and pocket openings are generally finished with several rows of S. C., when no other border is used. When crocheting around bottom of skirt, work first row, skipping every 6th st. Work all other rows in every stitch. With slashed skirt, continue crocheting along edges of slash and face with matching grosgrain ribbon. Sew underlap in place.

WASHING:

Take measurements or make an accurate chart. Make suds in LUKEWARM water using mild alkali free flakes such as Ivory Soap Flakes. If the water is hard, better results can be obtained by using a good water normalizer such as Calgon. Squeeze suds through fabric. DO NOT RUB. Handle gently; do not lift out of water, as the weight of wet garment will stretch it. Keep garment supported by the hands when squeezing out water. Rinse thoroughly three times in LUKEWARM Calgonized water (hard water normalized by Calgon). Squeeze out as much water as possible, DO NOT TWIST OR WRING, and roll in dry turkish towels to absorb excess moisture. Shape garment, wrong side out, according to measurements, and pin to chart using rustproof pins. Ribbing should be eased in so that it will fit as snugly as when new. Never dry in sun or excessive heat. When garment is dry, if necessary, press like a new garment.

Never hang a handknit on a clothes hanger or hook. Always lay the article flat when not in use.

MINERVA INTERCHANGEABLE YARNS

INTERCHANGEABLE GROUP No. 1

Cuddle Yarn (2 fold— $\frac{3}{4}$ oz. ball) 100% Virgin Wool	About 183 yds. to ball.
Featherdown (3 fold—1 oz. ball) 100% Virgin Wool	About 256 yds. to ball.
Lustre Crepe Wool and Rayon (2 fold—1 oz. ball) Novelty Yarn—60% Virgin Wool, 40% Rayon	About 170 yds. to ball.
Velveen (2 fold—2 oz. ball) Novelty Yarn—65% Virgin Wool, 35% Rayon	About 300 yds. to ball.

INTERCHANGEABLE GROUP No. 2

Featherweight Knitting Worsted (3 fold—2 ounce skein) 100% Virgin Wool	About 233 yds. to skein.
Featherweight Heather Yarn (3 fold—2 ounce skein) 100% Virgin Wool	About 233 yds. to skein.
Shetland Floss (2 fold—1 oz. ball) 100% Domestic Virgin Wool	About 157 yds. to ball.
Spanish Knitting Worsted (4 fold—4 oz. skein) 100% Domestic Virgin Wool	About 490 yds. to skein.

INTERCHANGEABLE GROUP No. 3

Afghan Germantown (4 fold—2 oz. skein) 100% Virgin Wool	About 210 yds. to skein.
Germantown (4 fold—1 oz. ball) 100% Virgin Wool	About 105 yds. to ball.
Pompadour (2 fold—1 oz. ball) 68% Virgin Wool, 32% Rayon	About 128 yds. to ball.
Tapestry Yarn (4 fold) 100% Virgin Wool	About 40 yds. to skein.
Quality Heather Yarn (4 fold—2 oz. skein) 100% Virgin Wool	About 140 yds. to skein.
Quality Knitting Worsted (4 fold—2 oz. skein) 100% Virgin Wool	About 140 yds. to skein.
Quality Ombre Yarn (4 fold—2 oz. skein) 100% Virgin Wool	About 140 yds. to skein.

INTERCHANGEABLE GROUP No. 4

Chalimar 100% Cotton	About 800 yds. to skein.
Mellosheen 100% Cotton	About 700 yds. to skein.

INTERCHANGEABLE GROUP No. 5

Heather Sports Yarn (3 fold—2 oz. ball) 100% Virgin Wool	About 373 yds. to ball.
Pompadour Light Weight (2 fold—1 oz. ball) 76% Virgin Wool, 24% Rayon	About 210 yds. to ball.
Saxony (4 fold— $\frac{3}{4}$ oz. ball) 100% Virgin Wool	About 125 yds. to ball.
Sports Yarn (3 fold—2 oz. ball) 100% Virgin Wool	About 373 yds. to ball.

NON-INTERCHANGEABLE GROUP

A-A Crochet Cotton 100% Cotton	About 800 yds. to tube.
Hearthstone Rug Yarn (3 fold—1 oz. skein) 100% Virgin Wool	About 19 yds. to skein.
Kerman Rug Yarn (4 fold—1 oz. skein) 50% Domestic Virgin Wool, 50% Rayon	About 15 yds. to skein.
Manito ((2 fold—2 oz. skein) 100% Virgin Wool	About 70 yds. to skein.
Manuet (2 fold—2 oz. skein) 100% Virgin Wool	About 125 yds. to skein.
Manuet Heather (2 fold—2 oz. skein) 100% Virgin Wool	About 125 yds. to skein.
Minal Zephyr (3 fold—2 oz. skein) 100% Virgin Wool	About 443 yds. to skein.
Needlepoint Yarn (4 fold— $\frac{1}{2}$ oz. skein) 100% Virgin Wool	About 34 yds. to skein.
Saxony (2 fold— $\frac{3}{4}$ oz. ball) 100% Virgin Wool	About 250 yds. to ball.
Saxony (3 fold— $\frac{3}{4}$ oz. ball) 100% Virgin Wool	About 165 yds. to ball.
Sock Yarn (4 fold—1 oz. skein) 100% Virgin Wool	About 201 yds. to skein.
Vesta Zephyr (2 fold—2 oz. skein) Novelty Yarn—100% Virgin Wool	About 200 yds. to skein.
Zephron Zephyr (2 fold—1 oz. skein) Novelty Yarn—78% Virgin Wool, 22% Rayon.	About 126 yds. to skein.

JAMES LEES & SONS COMPANY

Bridgeport, Penna.




NEW YORK OFFICE: 230 Fifth Avenue

CHICAGO OFFICE: 823 S. Wabash Ave.

LOS ANGELES OFFICE: 722 S. Los Angeles St.



Handwritten notes:
3490
1960
300
600
920
1200
1500
1800
9165
975
160



Complete Knitting Manual

Vol. 61



MINERVA

Hand knits for Men in the Service

Vol. 8

